PHYTOPATHOLOGY

AN INTERNATIONAL JOURNAL

OFFICIAL ORGAN OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

VOLUME 38
JANUARY–DECEMBER, 1948

EDITORS

HELEN HART
W. H. BURKHOLDER
J. H. JENSEN
H. A. RODENHISER

ASSOCIATE EDITORS

G. M. ARMSTRONG
D. E. BLISS
D. CATION
F. L. DRAYTON
A. L. HARRISON
J. G. HARRAR
R. R. HIRT
B. R. HOUSTON
M. F. KERNKAMP
K. W. KREITLOW
J. D. WILSON

BUSINESS MANAGEMENT

M. C. RICHARDS
L. J. ALEXANDER

THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

OFFICERS

R. S. KIRBY, *President*
W. D. VALLEAU, *Vice-President*
CURTIS MAY, *Secretary*
M. C. RICHARDS, *Treasurer*

COUNCILORS

P. R. MILLER
S. G. LEHMAN
S. A. E. MCCALLAN
J. H. JENSEN
M. W. GARDNER
S. J. P. CHILTON
A. J. RIKER

PUBLISHED FOR THE SOCIETY
BUSINESS PRESS INC.
LANCASTER, PENNSYLVANIA

SUSTAINING ASSOCIATES

B. F. Goodrich Chemical Company, Rose Building, Cleveland 15, Ohio.
Mallinckrodt Chemical Works, Second and Mallinckrodt Street, St. Louis 7, Missouri.
Sindar Corporation, 330 West 42nd Street, New York 18, N. Y.
Rohm and Haas, Washington Square, Philadelphia 5, Pennsylvania.
E. I. du Pont de Nemours & Company, Wilmington 98, Delaware.
Freeport Sulphur Company, New Orleans 5, Louisiana.
Tennessee Corporation, 619–27 Grant Building, Atlanta 1, Georgia.
Pillsbury Mills, Inc., Metropolitan Building, Minneapolis, Minnesota.
Rogers Bros. Seed Co., Inc., Idaho Falls, Idaho.
Triarch Botanical Products, Ripon, Wisconsin.
Yoder Brothers, Inc., Barberton, Ohio.
Butler County Mushroom Farm, Inc., West Winfield, Pennsylvania.
Pabst Brewing Company, Milwaukee, Wisconsin.
Associate Seed Growers, Inc., New Haven 2, Connecticut.
Ferry-Morse Seed Co., Detroit, Michigan.
The Dow Chemical Company, Midland, Michigan.
Lederle Laboratories Division, American Cyanamid Company, Pearl River, N. Y.
Northrup, King & Company, Minneapolis 13, Minnesota.
O. E. Linck Company, Route 6 and Valley Road, Clifton, N. J.

Science lib
Wash

CONTENTS OF VOLUME 38, 1948

NO. 1. JANUARY

Abstracts of papers accepted for presentation at the thirty-ninth annual meeting of the Society, Chicago, Illinois, December 28 to 30, 1947 1
Fluorine analysis of Italian prune foliage affected by marginal scorch. V. L. MILLER, FOLKE JOHNSON, and D. F. ALLMENDINGER 30
Soil fumigation for fungus control with methyl bromide. A. G. NEWHALL and BERT LEAR 38
Clitocybe root rot of citrus trees in Florida. ARTHUR S. RHOADS 44
The identification and characterization of a virus causing mosaic in Mertensia virginica. INEZ NIENOW 62
Production of antibiotic substances by Fusaria. DIEGO A. TEXERA 70
Phytopathological Notes 82
Seed treatment with mercury dusts injurious to corn with mechanical injuries near embryo. P. E. HOPPE
Sclerotium delphinii Welch on Scilla. GLENN A. HUBER and C. J. GOULD
Antagonistic activity of a species of Actinomyces against Ceratostomella ulmi in vitro. MICHAEL SZKOLNIK

NO. 2. FEBRUARY

The use of vapor-heat as a practical means of disinfecting seeds. P. W. MILLER and F. P. MCWHORTER 89
Effect of several seed protectants on emergence and stand of okra. C. N. CLAYTON 102
A comparison of home-made Bordeaux mixture with other fungicides for control of scab on the Schley and Moore varieties of pecan. JOHN R. COLE 106
Natural infection of replanted apple trees by white root rot fungus. J. S. COOLEY 110
Cyclamen petal spot, caused by Botrytis cinerea, and its control. C. M. TOMPKINS and H. N. HANSEN 114
A Phycomycete parasitic on aphids. M. R. HARRIS 118
Phytophthora cinnamomi root rot of avocados under tropical conditions. BOWEN S. CRANDALL 123
Gloeosporium decay in Gramineae. RODERICK SPRAGUE 131
Physiological exhaustion of strawberry plants as a factor in winter killing. E. O. MADER and A. W. FELDMAN 137
The carbohydrate metabolism of germinating Phymatotrichum sclerotia with special reference to glycogen. DAVID R. ERGLE 142
Phytopathological Notes 152
Rootstock susceptibility to Armillaria mellea. HAROLD E. THOMAS, H. EARL THOMAS, CATHERINE ROBERTS, and AL AMSTUTZ
The microscopic detection of bacterial infections in plants by means of oblique illumination. T. E. RAWLINS and P. R. DESJARDINS
Rhizoctonia rot of tulips in the Pacific Northwest. NEIL ALLAN MACLEAN
The occurrence of South American leaf blight of Hevea rubber trees in Mexico. W. J. MARTIN
Uroeystis agropyri on Phleum pratense. K. W. KREITLOW

NO. 3. MARCH

The prevention of black stem rust of wheat. A. F. EL-HELALY 161
The role of plant residues in the etiology of root rot. VINCENT W. COCHRANE 185
Effect of seed treatment on the germination of soybeans. HELEN S. SHERWIN, C. L. LEFEBVRE, and R. W. LEUKEL 197
The relation of six groups of fungi to seedling diseases of sugar beets in Montana. M. M. AFANASIEV 205
Kentucky Wonder bean plants as hosts for measuring southern bean mosaic virus activity. W. C. PRICE and BETTY R. HOLT 213
Comparison of two methods of pelleting onion seed in the control of smut. M. B. LINN and A. G. NEWHALL 218
Field studies on spread of the mild streak disease of black raspberries. W. F. JEFFERS and M. W. WOODS 222
Resistance to bacterial wilt and black shank in flue-cured tobacco. T. E. SMITH and E. E. CLAYTON 227

Canna mosaic in the United States. PHILIP BRIERLEY and FLOYD F. SMITH 230
Infection of tomato fruits by Colletotrichum phomoides. JOSEPH P. FULTON 235
Anthracnose of tomato. J. B. KENDRICK, JR., and J. C. WALKER 247
Phytopathological Note 261
Botryosphaeria ribis, perfect stage of the Macrophoma causing ripe rot of Muscadine grapes. E. S. LUTTRELL
Book Review 264

NO. 4. APRIL

Sporulation by Piricularia oryzae. B. W. HENRY and A. L. ANDERSEN 265
An electron microscope study of tobacco mosaic virus extracted from pulp and juice after various periods of infection. WILLIAM N. TAKAHASHI and T. E. RAWLINS 279
The species value of pathogenicity in the genus Xanthomonas. C. C. WERNHAM 283
A toxic metabolic product of Fusarium oxysporum var. nicotianae in relation to a wilting of tobacco plants. FREDERICK T. WOLF and FREDERICK A. WOLF ... 292
Quantitative determination of tetrachloro-p-benzoquinone on treated seed. H. P. BURCHFIELD and G. L. MCNEW 299
Phytopathological Notes 307
A Valsa associated with Cytospora canker of spruces. DAVID H. MARSDEN
Low temperature as a factor in the germination of dwarf bunt chlamydospores. CONLEY V. LOWTHER
Ringspot of papaya (Carica papaya) in the Hawaiian Islands. F. O. HOLMES, J. W. HENDRIX, W. IKEDA, D. D. JENSEN, R. C. LINDNER, and W. B. STOREY
Report and abstracts of the second annual meeting of the Northeastern Division of The American Phytopathological Society 313
Report of the 39th annual meeting of The American Phytopathological Society 316

NO. 5. MAY

Fusarium diseases of broad bean. II. Further studies on broad bean wilt caused by Fusarium avenaceum var. fabae. T. F. YU and C. T. FANG 331
Phoma rot of garden beets. BARBARA C. HEIBERG and G. B. RAMSEY 343
Angular leaf spot of kudzu caused by a new species of Mycosphaerella. J. L. WEIMER and E. S. LUTTRELL 348
Canker of tung trees caused by Physalospora rhodina. JOHN R. LARGE 359
A leaf-curl disease of tomato. R. S. VASUDEVA and J. SAM RAJ 364
Inoculation experiments with Polyporus schweinitzii. SIGMUND BERK 370
White rot of shallot. E. C. TIMS 378
Infectious chlorosis of Phenax sonneratii. KARL M. SILBERSCHMIDT 395
Fusarium wilt of garden stock (Mathiola incana). KENNETH F. BAKER 399
Field control of blind seed disease of perennial ryegrass in Oregon. JOHN R. HARDISON 404
Book Reviews 420

NO. 6. JUNE

Hosts of the tobacco streak virus. ROBERT W. FULTON 421
The yellow-net virus disease of sugar beets. EDWARD S. SYLVESTER 429
Rhizoctonia carotae n. sp. and Gliocladium aureum n. sp., two new root pathogens of carrots in cold storage. WM. E. RADER 440
Immunity of Canadian black currant selections from blister rust. GLENN GARDNER HAHN 453
Effect of copper injury on Concord grapes. R. F. SUIT 457
Resistance to spotted wilt in tomato. FRANCIS O. HOLMES 467
Effectiveness of fungicides in controlling black rot of sweet potatoes. L. H. PERSON, E. O. OLSEN, and W. J. MARTIN 474
Influence of soil moisture on the growth of the potato plant and its infection by the root-knot nematode. G. K. PARRIS 480
Interrelation of bean virus 1 and bean virus 2 as shown by cross-protection tests. RAYMOND G. GROGAN and J. C. WALKER 489
The generic and specific characters of phytopathogenic species of Pseudomonas and Xanthomonas. WALTER H. BURKHOLDER and MORTIMER P. STARR 494
Phytopathological Notes 503
Pellicularia target spot leaf disease of kenaf and roselle. BOWEN S. CRANDALL
Physalis angulata, a test plant for the potato leafroll virus. CHARLES HOVEY and REINER BONDE

NO. 7. JULY

Yellows and necrotic ring spot of sour cherries in Ontario: Inoculation experiments. G. H. BERKELEY and R. S. WILLISON 509
A root rot disease-complex of small grains in Virginia. WILBERT A. JENKINS 519
Root rot disease-complexes of tobacco in Virginia. I. Brown root rot. WILBERT A. JENKINS 528
Therapeutic treatments for rusts. C. E. YARWOOD 542
Results of eleven years' spraying for pecan scab control with high-lime and low-lime Bordeaux mixture. JOHN R. COLE 552
Ergot and sterility in Bahia grass. GLENN W. BURTON and C. L. LEFEBVRE 556
A new Fusarium disease of lang (Lathyrus sativus). VISHNU P. BHIDE and B. N. UPPAL 560
Report of the 1948 annual meeting of the Southern Division, The American Phytopathological Society 568
Report of the fifth annual meeting of the Potomac Division of The American Phytopathological Society 574
Phytopathological Notes 578
Preserving culture media. A. H. EDDINS
Cactus inoculating tool. PAUL C. LIGHTLE
Infection of seedling peach stems by zoospores of Phytophthora cactorum. JOYCE E. KEPHART and JOHN C. DUNEGAN
Aster yellows in shallot and gladiolus. FLOYD F. SMITH and PHILIP BRIERLEY
Book Reviews 584

NO. 8. AUGUST

Fusarium diseases of broad bean. III. Root-rot and wilt of broad beans caused by two new forms of Fusarium. T. F. YU and C. T. FANG 587
The development of Gibberella zeae headblight of wheat. AXEL L. ANDERSEN 595
Relation of soil fumigation, nematodes, and inoculation technique to big vein disease of lettuce. M. W. ALLEN 612
Hetero- and homo-thallic types of Diaporthe on soybeans. A. W. WELCH and JOSEPH C. GILMAN 628
2,4-D Injury to cotton from airplane dusting of rice. A. A. DUNLAP 638
The effects of mealybugs feeding on pineapple plants grown in finely atomized nutrient solutions. WALTER CARTER 645
Leaf variegation in tung. J. B. DEMAREE and JOHN R. LARGE 658
The effect of pre-planting irrigation on pathogenicity of Rhizoctonia solani in seedling cotton. GLEN STATEN and JAMES F. COLE, JR. 661
The colorimetric determination of 2,3-dichloro-1,4-naphthoquinone on seed. H. P. BURCHFIELD and G. L. MCNEW 665
Phytopathological Note 670
Influence of nutritional level on the susceptibility of tomatoes to Fusarium wilt. E. M. STODDARD and A. E. DIMOND
Announcement 672

NO. 9. SEPTEMBER

Factors affecting the development of bacterial soft rot of potato tuber initials. R. S. DAVIDSON 673
The influence of cultural conditions on flag smut of wheat. A. F. EL-HELAHY 688
Stem-end rot of strawberries. CONSTANTINE J. ALEXOPOULOS and DONALD CATION 698
Two interesting leaf spots of fig. E. C. TIMS and L. S. OLIVE 707
Physiologic specialization in Guignardia bidwellii, cause of black rot of Vitis and Parthenocissus species E. S. LUTTRELL 716
Studies of two viruses causing mosaic diseases of soybeans. ROBERT A. CONOVER 724
Collar injury of apple trees associated with waterlogged soil. J. S. COOLEY 736
A study of the fungicidal action of 8-quinolinol and some of its derivatives. CURTIS L. MASON 740
Phytopathological Notes 752
New hosts for Botrytis elliptica. NEIL ALLAN MACLEAN
Phytophora stem canker of sesame in Peru. BOWEN S. CRANDALL and JAVIER DIEGUEZ C.
A technique for growing citrus seedlings under aseptic conditions. INAM U. KHAN
A method of testing beans for resistance to bacterial blights. C. F. ANDRUS

NO. 10. OCTOBER

Oxygen and carbon dioxide relations of Fusarium oxysporum Schlecht. and Fusarium eumartii Carp. JOHN P. HOLLIS 761
Yellows and necrotic ring spot of sour cherries in Ontario—distribution and spread. R. S. WILLISON, G. H. BERKELEY, and G. C. CHAMBERLAIN 776
Brown stem rot of soybean. WILLIAM B. ALLINGTON and DONALD W. CHAMBERLAIN 793
Summary of cooperative experiments on treatment of flax seed. J. E. MACHACEK and F. J. GREANEY 803
Nonsusceptible hosts as carriers of wilt Fusaria. G. M. ARMSTRONG and JOANNE K. ARMSTRONG 808
A new virus disease of blackberry. NORMAN L. HORN 827
Morphology and taxonomy of the onion pink-root fungus. A. M. GORENZ, J. C. WALKER, and R. H. LARSON 831
Aphid transmission of lily viruses during storage of the bulbs. FLOYD F. SMITH and PHILIP BRIERLEY 841
The inefficacy of ethylene chlorobromide as a therapeutic agent in the treatment of gardenias infected with the root-knot nematode. A. C. TARJAN 845

NO. 11. NOVEMBER

Simulation of lily rosette symptoms by feeding injury of the foxglove aphid. FLOYD F. SMITH and PHILIP BRIERLEY 849
Nuclear inclusions produced by a strain of tobacco mosaic virus. M. W. WOODS and RICHARD V. ECK 852
Blossom and spur blight (Sclerotinia laxa) of sour cherry. E. C. CALAVAN and G. W. KEITT 857
A study of the sugar beet seedling disease in Ohio. JOHN R. WARREN 883
A disease of cabbage and other crucifers due to Cercosporella brassicae. P. W. MILLER and F. P. MCWHORTER 893
An antibiotic substance active against certain phytopathogens. CURT LEBEN and G. W. KEITT 899
Studies on the bacteriophage of Xanthomonas pruni. H. H. THORNBERRY, A. EISENSTARK, and H. W. ANDERSON 907
Report and Abstracts of the thirtieth annual meeting of the Pacific Division of The American Phytopathological Society 912
Phytopathological Notes 921
Zinc dimethyldithiocarbamate (Zerlate or Karbam White), a promising fungicide for pecan scab control. JOHN R. COLE
Sori of Urocystis gladioli on gladiolus corm scales. DONALD P. LIMBER
Cases of scab on violet and pansy in Maryland. R. A. JEHLE and ANNA E. JENKINS
A convenient method for isolating slow-growing pathogenic fungi from plant tissues. A. G. PLAKIDAS
Local lesions with potato virus Y. A. FRANK ROSS
Longevity of fungus cultures under mineral oil. C. C. WERNHAM and H. J. MILLER
Curly top of muskmelon. N. J. GIDDINGS

NO. 12. DECEMBER

A method for measuring resistance to defoliation diseases in tomato and other Lycopersicon species. SETH BARTON LOCKE 937
Control of cotton wilt and nematodes with a soil fumigant. A. L. SMITH 943
A simplified method of purifying tomato bushy-stunt virus for electron microscopy. RUSSEL L. STEERE and ROBLEY C. WILLIAMS 948
Chemical treatment of soybean seed in relation to nodulation by nodule bacteria. M. F. KERNKAMP 955
Bacteria in the storage organs of healthy plants. IAN W. TERVET and JOHN P. HOLLIS 960
Microascus trigonosporus from cereal and legume seeds. M. D. WHITEHEAD, M. J. THIRUMALACHAR, and J. G. DICKSON 968
The effect of soaking cotton seed on the incidence of angular leaf spot in New Mexico and Arizona. A. R. LEDING and L. A. BRINKERHOFF 974
An evaluation of certain substituted phenol esters for the treatment of cotton seed. C. H. ARNDT 978
Strains of Mycosphaerella fragariae. A. G. PLAKIDAS 988

The movement of crown-gall bacteria in isolated stem fragments of sunflowers. R. S. DE ROPP 993
Some studies of curly top of flax. N. J. GIDDINGS 999
Wheats immune from soil-borne mosaic viruses in the field, susceptible when inoculated manually. H. H. MCKINNEY 1003
Dip and gas treatments for the reduction of post-harvest decay in Texas lemons. A. LLOYD RYALL and G. H. GODFREY 1014
A comparison of fungicidal treatments for the control of decay in California cantaloupes. W. R. BARGER, JAMES S. WIANT, W. T. PENTZER, A. LLOYD RYALL, and D. H. DEWEY 1019
Phytopathological Notes 1025
Bird's eye spot disease of Hevea rubber in Nicaragua. ARTHUR G. KEVORKIAN
Powdery mildew resistance in cucumber. PAUL G. SMITH
"Needle curl" of shortleaf pine seedlings. L. W. R. JACKSON
The occurrence of Phytophthora parasitica on corn. ARNOLD J. ULLSTRUP and C. M. TUCKER
A simple method of preserving tobacco-mosaic sera. T. MATSUMOTO and CHIN-HOW LEE
A seedling blight of avocado caused by Phytophthora palmivora. ROBERT A. CONOVER
Sample size and plot size for testing resistance of strawberry varieties to Verticillium wilt. RICHARD E. BAKER and VICTOR VOTH
Effect of 2,4-D in culture medium on the growth of three pathogenic fungi. WAYNE M. BEVER and F. W. SLIFE
Index 1039

INDEX FOR VOLUME 38

AUTHOR AND SUBJECT INDEX
New species in **blackface type**
Junior authorship indicated by pages in "( )"

Prepared by J. M. Daly, Minnesota Agricultural Experiment Station, University Farm, St. Paul, Minnesota.

Abutilon theophrasti, 38
Acaricides, 11
Acer saccharinum, 371
Acetic acid, 475
Acrobeloides, 537
  butschlii, 616
Actinomyces, antagonistic against Pythium, 6
  antibiotic to Ceratostomella, 85
  scabies, parasitic on roots, 14
Actinomycetes, 187
Adbac (See Fungicides)
Adelphocorus lineolatus, 10
  rapidus, 10
Aerobacter aerogenes, 78
Aeschynomene indica, 424
AFANASIEV, M. M., 205
Agalliopsis novella, vector for virus, 2
Agrobacterium (See also Phytomonas)
  tumefaciens, 575, 903
    effect of antibiotics on, 3
Agropyron cristatum, 134
  trachycaulum, 9
Agrosan G. (See Fungicides)
Agrostis, 22
  gigantea, smut on, 25
Albizza julibrissin, host for Fusarium, 810
  wilt of, 13
Aleurites fordi, leaf variegation, 658
ALEXOPOULOS, C. J., 698
Alfalfa, 2, 4, 731
  blossom drop, 5
  crown rot, 5, 570
  resistant to leaf spots, 570
Alkyl dimethel benzyl ammonium chloride, 914
ALLEN, M. W., 612
ALLINGTON, W. B., (4), 793
Allium ascalonicum, aster yellows on, 581
  cepa, 831
    Pythium on, 29
ALLMENDINGER, D. F., (30)
Almond, 919
Alternaria, 22, 27, 262, 372, 820
  causing blossom drop of alfalfa, 5
  tenuis, 888
  solani, 903, 937
Althaea rosea, 424
Amaranth, 28
Amberine (See Fungicides)
Ambrosia artemisifolia, 424
  trifida, 424
AMERICAN PHYTOPATHOLOGICAL SOCIETY,
  abstracts of papers presented at annual meeting, 1
  annual report, 316
  Northeastern Division, report of annual meeting, 313
  Pacific Division, report of annual meeting, 912
  Potomac Division, report of annual meeting, 578
  Southern Division, report of annual meeting, 568
amino-acridine derivatives, 912
Amphorophora sensoriata, 225
AMSTUTZ, AL, (154)
ANDERSEN, A. L., 1, (265), 574, 595
ANDERSON, H. W., (26), (907)
ANDRUS, C. F., 759
Angular leaf spot of cotton, 975
Anthracnose, of bean, control with fungicides, 6, 315
  of blue lupine, 568
  of cereals and grasses, 3
  of dewberry, 929
  of Lima bean, 7
  of maple, control with fungicides, 575
  of peach, 22
  of plum, 2
  of sassafras, 575
  of snowberry, 2
  of tomato, 247, 314
Antibiosis, Actinomyces to Ceratostomella ulmi, 85
  in relation to sugar cane root rot, 6
Antibiotics, as protective spray, 16
  antimycin, 899
  penicillin and ring rot, 27
    effect on crown gall, 3, 11
  produced by Fusaria, 70
  streptomycin, 26
    and ring rot, 27
    effect on crown gall, 3, 11
Antirrhinum majus, 7, 66, 425
  virus on, 16
Aphanomyces, and sugar-beet root rot, 205
  cochlioides, 4, 888
    on sugar beets, 9
  euteiches, on garden pea, 12
Aphelenchoides, 537
  parietinus, 616
Aphelenchus, 537
  avenae, 616
Aphids (See Insects)
Aphis abbreviata, 118, 507
  gossypii, 841, 849
Apium graveolens (See Celery)
Apple, 16, 22
  bitter rot, on sour cherry, 20
  collar injury, 736
  decay, control of, 914
  effect of fungicides on, 315
  resistant to scab, 23

root rot fungus, 110
rust, control with fungicides, 11
scab, control with fungicides, 11, 313, 314
storage molds and control, 1
Apricot, 26, 152
jacket rot, 919
Arasan (See Fungicides)
Arctium minus, 423, 424
Argentine rape, 17
Armillaria mellea, causing citrus root rot, 913
root rot of fruit trees, 152
ARMSTRONG, G. M., 808
ARMSTRONG, JOANNE K., (808)
ARNDT, C. H., 1, 979
ARNY, DEANE C., 1
Asclepias syriaca, 424
Ascochyta, 903
imperfecta, resistance of alfalfa to, 570
Aspergillus, 91
niger, 12, 22
control of in stored apples, 1
Aster, 437, 575
ATKINS, J. G., 1, 568
Atalantia citroides, 912
Atriplex patula, 437
rosea, 437
Aulacaspis rosae, 225
Aureogenus clavifolium, 2
Avocado, root rot of, 123
seedling blight, 1032
Azalea, 575

Bacillus cereus var. mycoides, 903
circulans, 78
felsineus, 964
megatherium, 78
mesentericus, 680
mycoides, 72
polymyxa, 680
subtilis, 72, 903
Bacteria, 820
antibiotics against produced by Fusaria, 70
classification of, 494
in healthy plant tissue, 25, 961
inhibited by antibiotic, 903
in relation to root rot, 187
nodulation in relation to seed treatment, 18, 956
pathogenicity and classification, 283
Bacterial, blights of bean, 757
canker of cowpea, 572
gall of blueberry, 575
necrosis of cactus, 3
soft rot of potato, 673
wilt of tobacco, 227
wilt of tomato, nutrition in relation to, 9
Bacterial infections, technique for study, 154
Bacteriophage, of Xanthomonas pruni, 26, 907
Bacterium solanacearum, 9, 227
Bahia grass (See Grasses)
BAILEY, D. L., 2
BAKER, K. F., (7), 399
BAKER, RICHARD E., 1036
BANFIELD, W. M., 2
Barbak D (See Fungicides)
Barberries, in relation to stem rust, 24
BARGER, W. R., 1021
Barley, 24, 919, 968, 1004
false loose smut, 5
inoculation with stripe, 915
loose smut, 25
powdery mildew, 25
Pythium on, 24
resistant to spot blotch, 1
root rot, 15, 519
scald, 22
BARRETT, J. T., 2
Bean, 22, 481, 504, 571, 724
anthracnose, control with fungicides, 6, 315
black root of, 10
blight, 313, 757
nutrition in relation to, 315
broad, Fusarium disease of, 587
wilt of, 331
bush, 373
castor, 796
Lima, 29
seed treatment, 299
stem anthracnose, 7
mosaic, 10
mung, 796
pod mottle, 29
powdery mildew, control by fungicides, 6
red kidney, 796
resistant to bacterial blights, 757
rust, 542
mutation in, 914
snap, 91, 315
southern bean mosaic, 213
virus 1, 489
virus 2, 489
yellow-bean mosaic virus, 10
yellow mosaic, 574
Beet, (See also Sugar Beet)
bacteria of, 25
curly top of, 916
Fusarium on, 563
Phoma rot of, 343
Rhizoctonia on, 444
seed treatment of, 91, 299
soil fumigation, 39
viruses on, 66, 424, 731
Belamcanda chinensis, 574
Begonia, bacteriosis, 17
Bemisia gossypiperda, as vector of tomato leaf curl, 366
Bent grass (See Grasses)
Benzoic acid, 1021
BERK, SIGMUND, 370
BERKELEY, G. H., 509, (776)
Beta vulgaris (see also Beet)
var. cicla, 66, 437
BEVER, WAYNE M., 1038
BHIDE, VISHNU P., 560

Big vein of lettuce, 612
Bindweed, 423
Bioquin (See Fungicides)
Bird rape, 893
BITANCOURT, A. A., 2
BLACK, L. M., 2
Black root rot, of tobacco, resistance to, 27
of sugar beet, 883
of sweet potato, control with fungicides, 474
Black shank of tobacco, 227
Blackberry, virus of, 576, 827
dwarf, 919
Blackleg, of cabbage, 21
Blind seed disease of ryegrass, 404
Blister rust, resistance to, 453
BLODGETT, E. C., 2
BLODGETT, F. M., (28)
Blossom blight of sour cherry, 857
Bluebell, virus of, 62
Blueberry, bacterial gall of, 575
Boehmeria nivea, 397
BONDE, REINER, (507)
Borax, 475
Bordeaux mixture (See Fungicides)
Boric acid, 1021
BORLAUG, N. E., 3, (12)
Botryosphaeria ribis, 261
Botryotinia Fuckeliana, 443
Botrytis allii, 12
cinerea, 92, 914, 919
causing petal spot of Cyclamen, 114
control of on stored apples, 1
elliptica, hosts for, 752
Bouisol (See Fungicides)
Boxwood, 529
nematodes of, 577
BOYLE, ALICE M., 3
Branch blight of grapefruit, 913
Bramble dwarf, 919
Brassica arvensis, 424
campestris, 437, 893
chinensis, 437
oleracea, 563
var. capitata, 285, 842
var. caulorapa, 66
rapa, 66, 851, 893
BRAUN, ARMIN C., 3
Breeding (See Resistance)
BRIERLEY, PHILIP, 230, 574, (583), (841), (849)
BRINKERHOFF, L. A., (975)
Broad bean (See Bean)
Brome grass (See Grasses)
Bromus purgans, 9
tectorum, 9
BROWN, J. G., 3
Brown root rot of tobacco, 528
Brown spot of celery, 23
Brown stem rot of soybean, 793
BRUEHL, G. W., 3
Brussels sprouts, 91
Bryophyllum pinnatum, 11
BUCHHOLTZ, W. F., 4
Buckeye rot of tomato, 569
Bunt, dwarf, germination of, 309
BURCHFIELD, H. P., 299, 665
Burdock, 423
BURKHOLDER, WALTER H., 494
BURTON, GLENN W., 556
Buxus, 529

Cabbage, 91, 563, 842
blackleg, 21
Cercosporella on, 893
clubroot, resistance to, 28
Cactus, bacterial necrosis of, 3
inoculation of, 578
Cadmium (See Fungicides)
Calamondin, 56
CALAVAN, E. C., 857
Calcium hypochlorite, 475, 1021
Calendula officinalis, 66, 424, 437
Callestephus chinensis, 424, 437, 582
CALVERT, O. H., (21)
Camellia japonica, 21, 575
sasanqua, 21, 576
scab, 21, 928
wilt and root rot, 575
CAMPBELL, LEO, 4
Camphor, 912
Candida albicans, 78
Canker of fig, 914
Canna spp., virus of, 230
Cantaloupe, control of decay, 1021
yield response to fungicides, 576
Caperonia palustris, 639
Capsella bursa-pastoris, 437
Capsicum annuum, 257
esculentum, 852
frutescens, 425
virus on, 16
Capsid, as virus vector, 365
Capsus atratus, 10
Carbon dioxide tolerance of Fusaria, 761
CARDONA, C., (22)
Carica papaya, ringspot of, 310
Carnation, rust, control with fungicides, 6
Carnegiea gigantea, bacterial necrosis of, 3
Carrot, 19, 91, 571, 960
bacteria of, 25
storage rots of, 440
yellows, control with insecticides, 314
CARTER, WALTER, 645
Cassia tora, host for Fusarium, 809
Castanea dentata, 153
sativa, 153
Casuarina equisetifolia, 47
CATION, DONALD, (698)
Cauliflower, 91
Cedar, 575
Celery, 71, 425, 444, 563
brown spot of, 23
Cephalosporium, causing brown spot of celery, 23
control of on stored apples, 1
fici sp. nov., causing leaf spot of fig, 708
gregatum n. sp., 797
Cerastium vulgatum, 424
Ceratostomella fimbriata, 474
genetics of, 20
ulmi, 2
Actinomyces antagonistic to, 85

Cercospora puerariicola, on kudzu, 350
resistance of rice to, 23
Cercosporella brassicae, on crucifers, 893
Cercosipha rubifolii, 225
Ceresan (See Fungicides)
Cereus giganteus, stem rot of, 578
Cercosporina kikuchii, 198
Chaenomeles japonica, 862
Chalara quercina, 903
CHAMBERLAIN, D. W., 4, (793)
CHAMBERLAIN, G. C., (776)
Chemotherapy, 313, 916
for Dutch elm disease, 7
Chenopodium album, 424
murale, 437
urbicum, 930
CHEREWICK, W. J., 4, 5
Cherry, 11
little cherry disease, 2
Montmorency, 513
X-disease, 920
sour, apple bitter rot of, 20
blossom and spur blight, 857
viruses of, 20, 509, 776
Chickweed, 467
Chiloplacus, 616
CHILTON, S. J. P., (6), 28
Chinese holly scab, 929
CHIU, W. F., 5
Chloramine, 1021
Chloropicrin, 39
Chokecherries, 20
CHRISTENSEN, J. J., 5
Chromates as fungicides, 27
Chrysanthemum hortorum, 581, 843
leafspot, 313
Cicer arietinum, 563
Cichorium endiva, 424
Cinara sp., 225
Citrullus vulgaris, 424
Citrus, 756, 915
armillaria root rot, 913
diseases, control by heat, 916
paradisi, 47
resistant to nematodes, 912
root rot, 44
control of, 58
sinensis, 47
Cladosporium, 29
effusum, 552, 921
on pecan, 106
fulvum, physiological specialization in, 2
resistance to in tomato, 16
herbarum, control of on apples, 1
CLAPP, A. L., (12)
Claviceps paspali, 556
CLAYTON, C. N., 102
CLAYTON, E. E., 5, (227)
Clitocybe tabescens, causing root rot of citrus, 44
Clover, club leaf, 2
Ladino, 186
virus of, 15
red, 91, 337, 796
sweet, 337, 423
crown rot of, 5
white, 337, 423
Clubroot of cabbage, resistance to, 28
Cochliobolus miyabeanus, 903
COCHRAN, G. W., 6
COCHRANE, VINCENT W., 185
COCS (See Fungicides)
COHEN, SYLVAN, 6
Colchicum autumnale, 752
COLE, JAMES F., (661)
COLE, JOHN R., 106, 552, 921
Collar injury of apple, 736
Colletotrichum, 903
circinans, 12
gossypii, 978
control by fungicides, 1
graminicola, 134
graminicolum, 4
lindemuthianum, 93
phomoides, 247
on tomato fruits, 235
trifolii, causing brown rot of alfalfa, 570
truncatum, causing stem anthracnose of Lima bean, 7
Compound 714, 11
CONOVER, ROBERT A., 724, 1034
Convolulus, 575
arvensis, 423
COOLEY, J. S., 110, 736
COOPER, W. E., 6
COOK, HAROLD T., 6, 568
Copper compounds (See Fungicides)
Copper injury to grape, 457
Copper silicate (See Fungicides; Coposil)
Corn, 17, 186, 529, 593, 796
Helminthosporium carbonum on, 572
Phytophthora parasitica on, 1029
resistance to Diplodia, 27
root rot, 22
seed treatment in relation to injury, 82
smut, 19
physiology of, 8
Corticium fuciforme, 22
galactinum, on apple roots, 110
Corylus avellana, 285
Corynebacterium fascians, 903
sepedonicum, and antibiotics, 27
Cotton, 563, 919
angular leaf spot, 975
2,4-D injury to, 8, 638
Fusarium wilt control, 573
host for Fusarium, 809
nematode control, 573
nutrition of, 571
Rhizoctonia solani on, 661
seed treatment, 1, 979
Texas root rot, 571
wilt and nematode control, 943
COWART, L. E., (23)
Cowpea, 62, 593
bacterial canker of, 572
host for Fusarium, 809
COX, CARROL E., 575
COX, ROBERT S., 7
Crab grass (See Grasses)
Cranberry, 575
CRANDALL, BOWEN S., 123, 505, 755
Criconemoides mutabile, 616
Crocus, Botrytis on, 752

Cronartium ribicola, resistance to in currant, 453
Crop rotation in relation to brown stem rot of soybean, 800
Crotalaria intermedia, 424
spectabilis, 731
Crown gall, 3, 995
and growth substances, 26
cure by antibiotics, 11
Cryptocarya mierri, 912
Cucumber, 5, 39, 231, 315, 437, 481, 851
downy mildew, control with fungicides, 315
mosaic virus, 21, 65
resistant to powdery mildew, 1027
yield response to fungicides, 576
Cucumis melo, 424
sativus, 66, 424, 437, 481, 851
Cucurbita maxima, 285, 424
pepo, 424
Cuprinol (See Fungicides)
Curly dock, 437
Curly top (See also Viruses)
of flax, 1001
of muskmelon, 934
of beet, 916
Currant, black, resistant to blister rust, 453
Cyamopsis psoraloides, disease of, 918
Cyamopsis tetragonalobus, 424
Cypress, 917
Cyclamen persicum, petal spot of, 114
Cytospora Kunzei, on spruce, 307

2,4-D, injury to cotton, 8, 639
Dahlia, resistance to spotted wilt, 13
control of, 314
ringspot, 467
Daisy, 26
DALY, J. M., 7
Datura metel, 425
metaloides,
stramonium, 66, 366, 425, 437
DAVIDSON, R. S., 673
DAVIS, DAVID, (10)
DAVIS, SPENCER H., 575
DE ROPP, R. S., 995
DECKER, PHARES, 568, 569
Delphinium ajacis, 66
DEMAREE, J. B., 575, 658
Dendrophoma obscurans, 699
DESJARDINS, P. R., (155)
Dewberry anthracnose, 929
DEWEY, D. N., (1021)
DIACHUN, STEPHEN, 7
Diaporthe, 262
batatatis, causing stem rot of sweet potato, 576
5,7-dibromo 8-quinolinol (See Fungicides)
2,3-dichloro-1,4-naphthoquinone (See Fungicides; Phygon)
5,7-dichloro 8-quinolinol (See Fungicides)
DICKSON, J. G., (25), (969)
DIEGUEZ C., JAVIER, (755)
Digitaria, 529
sanquinalis, 22
Dimethylglyoxime (See Fungicides)
DIMOCK, A. W., 7, 313
DIMOND, ALBERT E., 7, 313, (671)
5,7-dinitro 8-quinolinol (See Fungicides)
Diospyros kaki, 153
virginiana, 153
Diphenyl, 1016, 1021
Diplocarpon rosae, 313
carliana, 929
Diplodia ear rot of corn, 27
zeae, 22, 932
Disodium ethylene bisdithiocarbamate (See Fungicides; Dithane)
Dithane (See Fungicides)
Dithiocarbamates (See Fungicides)
1,4-dithio-cyano-butene, 19
Ditylenchus sp., 523, 537
and root rot, 14
DN-111 (See Fungicides)
Dodder, 916
transmission of virus, 576
Dogwood, twig blight, control with fungicides, 575
Dolichos biflorus, 424
Dorylaimus obscurus, 616
monohystera, 616
simplex, 616
Dothidella ulei, 157
Dow compounds (See Fungicides and Insecticides)
Downy mildew, control of with fungicides, 13, 19, 315
DU CHARME, E. P., (13)
DUNEGAN, JOHN C., (581)
DUNLAP, A. A., 8, 638
DU PONT 1451-D (See Fungicides)
Dutch elm disease, 7, 85

Early blight, of tomato, control with fungicides, 6
ECK, RICHARD V., (852)
EDDINS, A. H., 578
Eggplant, 257
resistant to Phomopsis blight, 569
EISENSTARK, A., (26), (907)
Elgetol (See Fungicides)
EL-HELALY, A. F., 161, 688
ELLIOTT, EDWARD S., 8
Elm, 7, 85, 371
infection by Ceratostomella, 2
Elymus canadensis, 9
excelsus, Gloeosporium on, 133
Elsinoe, 2
veneta, 929
Empoasca copula, 225
erigeron, 225
fabae, 225
Engytatus tenuis, as vector of tomato leaf curl, 365
Entomophthora coronata, parasitic on aphids, 120
Entomosporium maculatum, control with fungicides, 575
thuemenii, control with fungicides, 575
ERGLE, DAVID R., 142
Ergot, of bahia grass, 556
Erodium moschantum, 437
Erwinia amylovora, 903, 908
aroideae, 680

carnegieana, causing necrosis of cactus, 3
carotovora, 680
phytophthora, 680
solanisapra, 680
Eryngium aquatica, viruses of, 15
Erysiphe cichoracearum, 1027
graminis, 920
graminis hordei, 25, 914
polygoni, resistance to in pea, 21
Erythroneura torella, 225
Escherichia coli, 26, 72, 680, 903
Ethyl mercury chloride (See Fungicides; Ceresan)
Ethyl mercury p-toluene sulfonanilide (See Fungicides; Du Pont 1451–0)
Ethyl mercury phosphate (See Fungicides; New Improved Ceresan)
Ethylene chlorobromide, 845
Eutettix tenellus, 436
Exosporina fawcetti, on grapefruit, 913

Fagopyrum esculentum, 424
FANG, C. T., (331), (587)
FELDMAN, A. W., 8, (137)
Fermate (See Fungicides)
Ferric dimethyldithiocarbamate (See Fungicides; Fermate)
Fescue (See Grasses)
FELIX, E. L., 569
FELLOWS, HURLEY, (12)
Fertilizers, in relation to, soft rot of potato, 677
root rot, 525
sugar beet root rot, 890
wheat flag smut, 692
wheat stem rust, 167
Ficus carica, 153, 707
Fig, leaf spots, 707
canker, 914
Filaree, 437
FINK, HARRY C., 9
FISCHER, GEORGE W., 9
Flax, 919
curly top, 1001
rust, 18
seed treatment of, 16, 17, 38
Fluorine, in relation to marginal scorch, 30
Formaldehyde, 40, 408
Formalin (See Fungicides)
Fortunella, 912
Fragaria ananassa, 989
virginiana, 425
Freon-12 (See Fungicides)
Frijol (See Bean)
FULTON, JOSEPH P., 235
FULTON, ROBERT W., 421
Fungicides (See also Seed Treatment)
337 (1-hydroxyethyl-2-heptadecyl glyoxalidine), control of pecan scab, 108
341 (2-heptadecyl glyoxalidine), control of pecan scab, 11, 108
effect on apple yield, 315
806 (phenyl mercury compound), control of apple scab, 313
acetic acid, 475
Adbac, 1015
aerosols, 6
Agrosan G., 695
air blast application of, 315
alkyl dimethel benzyl ammonium chloride, 914
Amberine, 162
antibiotics as sprays, 16
Arasan (tetramethyl thiuram disulfide), control of narcissus basal rot, 17
control of shallot white rot, 391
flax seed treatment, 803
okra seed treatment, 103
onion seed treatment, 219
ryegrass seed treatment, 408
soybean seed treatment, 197, 571
tomato seed treatment, 916
Barbak D (mercuric phenyl cyanamide), control of shallot white rot, 391
benzoic acid, 1021
Bioquin (copper 8-quinolinolate), control of apple rust, 11
Bioquin 1, 18
control of tree diseases, 575
Bioquin 100 (zinc 8-quinolinolate), 18
Bioquin 300 (magnesium 8-quinolinolate), 18
Borax, 475
Bordeaux, 19, 27, 410, 695, 741, 872, 921
control of begonia bacteriosis, 17
onion mildew, 572
pecan scab, 107, 552
snapdragon rust, 7
tree diseases, 575
wheat stem rust, 162
injury to grape, 458
boric acid, 1021
Bouisol, control of wheat stem rust, 162
cadmium compounds for control of turf disease, 22
calcium hypochlorite, 475, 1021
carbon dioxide, 1021
Ceresan (ethyl mercury chloride), control of narcissus basal rot, 17
okra seed treatment, 103
Ceresan-M (ethyl mercury p-toluene sulfonanilide), 981
Chloramine, 1021
chromates as fungicides, 27
COCS, onion mildew control, 572
COCS 65, control of pecan scab, 107
configuration in relation to toxicity, 1
Coposil (coppersilicates) pecan scab control, 107
copper, yield response to, 576
onion mildew control, 572
Copper A., 921
pecan scab control, 108
copper carbonate, 695
control of strawberry rot, 569
copper 5,7-dibromo 8-quinolinol, 741
copper 5,7-dichloro 8-quinolinolate, 741
copper hydro (copper basic salts), control of pecan scab, 107
copper-lime-arsenite, 872
copper oxalate, control of pecan scab, 107
copper oxide, 410
copper oxychloride sulfate, 107
copper-oxyquinoline, 1021

copper phosphate, control of pecan scab, 107
copper-8-quinolinolate, 1, 741
  control of apple scab, 313
  effect on apple yield, 315
  mechanism of action, 10
copper resinate, rust control, 544
copper sulfate, 410, 695
  adaptation to, 17
  mechanism of action, 10
copper zinc chromates, 27
Cuprinol, control of molds on stored apples, 1
Cuprocide (red copper oxide), 19
  control of pecan scab, 107
  okra seed treatment, 103
Cuprocide 54Y, control of pecan scab, 107
Cupro-K, control of pecan scab, 107
5,7-dibromo 8-quinolinol, 741
5,7-dichloro 8-quinolinol, 741
dimethylglyoxime, as antisporulant, 22
5,7-dinitro 8-quinolinol, 741,
  mechanism of action, 10
diphenyl, 1021
Dithane (disodium ethylene bisdithiocarbamate), 27
  control of pecan scab, 108
Dithane D-14, 13, 475
  control of strawberry fruit rot, 569
    onion mildew, 572
Dithane HE-178, 19
Dithane Z-78, 13, 475
  control of apple scab, 314
    lima bean stem anthracnose, 7
dithiocarbamates, 914
  yield response to, 576
DN-111 (dicyclohexyl-amine of dinitro-orthocyclohexylphenol), 11
  effect on apple yield, 315
Dow 606 (zinc dimethyl dithiocarbamate), 19
Dow 608 (amine salt of tetrachlorphenol), 19
Dow 612 (1,4-dithio-cyano-butene), 19
Dow 9B, 981
Dowfume G (methyl bromide), 38
Dowicides, control of molds on stored apples, 1
Dowicide A (sodium *o*-phenyl phenate), 475
Dowicide B (2,4,5-trichloro phenol), 475
Dowmike sulfur, 18
Dubay 1452F, flax seed treatment, 803
Du Pont 1451-D (ethyl mercury *p*-toluene sulfonanilide), 82
Elgetol (sodium dinitro-ortho-cresol), 475, 872
ethyl mercury chloride, for sugar beet seed, 9
Fermate (ferric dimethyl dithiocarbamate), 13, 18, 410, 872, 917
  control of apple rust, 11
    apple scab, 314, 315
    Lima bean stem anthracnose, 7
    pecan scab, 107
    strawberry rot, 569
    tree diseases, 575
  effect on apple yield, 315
  okra seed treatment, 104
  onion mildew control, 572
field assay of, 14
Formaldehyde, seed treatment of ryegrass, 408
Formalin, 695
  control of shallot white rot, 389
Freon-12, 6
Germisan, 695
Good-rite P.E.P.S. (polyethylene polysulfide), control of apple scab, 314
  effect on apple yield, 315
8-hydroxyquinoline, 475
iron dithiocarbamates, yield response to, 576
iron 8-quinolinolate, 741
Isobrome, 38
Isothan Q15 (lauryl isoquinolinium bromide), 410, 475
  control of pecan scab, 108
  mechanism of action, 10
Kolodust, control of wheat stem rust, 162
Kolofog, control of wheat stem rust, 162
Lime-sulfur, 19, 410, 544, 695
  control of apple rust, 11
    wheat stem rust, 162
    onion mildew, 572
mechanism of action, 10
magnesium 8-quinolinolate, 18, 741
Magnetic "70", control of apple scab, 314
manganese ethylene bisdithiocarbamate, 13
  control of apple scab, 313
manganese 8-quinolinolate, 741
mercuric chloride, 475
  soil treatment, 410
mercury compounds for control of turf diseases, 22
Mersolite 8 (phenyl mercuric acetate), control of narcissus basal rot, 17
Merthiolate, 1021
methyl bromide, 38
micronized sulfur, control of apple scab, 314
  effect on apple yield, 315
Mycoban (sodium propionate), control of strawberry fruit rot, 569
Mycotox, 315
New Improved Ceresan (ethyl mercury phosphate), 197
  control of narcissus basal rot, 17
  flax seed treatment, 17, 803
  okra seed treatment, 103
  ryegrass seed treatment, 408
  tomato seed treatment, 916
nitrodithioacetates, 19
nitrogen trichloride, for control of lemon decay, 1016
Onyx DL-1, 315
oximes, as antisporulants, 22
ozone, 1021
Parzate(zinc ethylene bisdithiocarbamate), 13
  for control of snapdragon rust, 7
    tree diseases, 575
    turf disease, 22

Phenols for cotton seed treatment, 979
Phygon (2,3-dichloro-1,4-napthoquinone), 18, 475
colorimetric determination of, 665
control of apple rust, 11
apple scab, 313
Lima bean stem anthracnose, 7
molds on stored apples, 1
onion mildew, 572
pecan scab, 108
strawberry rot, 569
effect on apple yield, 315
okra seed treatment, 104
PMAS (phenyl mercury salt), control of apple scab, 313
Potat-O-Dip, 475
polyethylene polysulfide, control of pecan scab, 108
Puratized, 18
control of tree diseases, 575
Puratized 177 (para amino phenyl cadmium dilactate), 475
Puratized Agricultural Spray (phenyl mercury triethanol ammonium lactate), control of apple rust, 11
apple scab, 313
narcissus basal rot, 17
effect on apple yield, 315
Puratized N5D (phenylmercuritriethanol ammonium lactate), 475
onion mildew control, 572
Puratized N5E, 475
control of pecan scab, 108
Puraturf, 410
Purex, seed treatment of ryegrass, 408
quinolines, as antisporulants, 22
8-quinolinol, 741
8-quinolinol benzoate, 7
sulfate, 741
mechanism of action, 10
Roccal, control of molds on stored apples, 1
Seedox (2,4,5-trichlorophenyl acetate), 981
Semesan (hydroxymercurichlorophenol), 410
control of shallot white rot, 389
okra seed treatment, 103
ryegrass seed treatment, 408
Semesan Jr., 82,
flax seed treatment, 803
silver nitrate, control of molds on stored apples, 1
sodium arsenate, 410, 917
sodium bisulphite, 1021
chlororthophenylphenate, 914
hypochlorite, 1021
metaborate, 1021
pentachlorophenate, 919
polyphosphate, control of pecan scab, 107
sulfide, rust control, 544
tetraborate, 1021
specificity of, for turf diseases, 22
Spergon (tetrachloro parabenzoquinone), control of narcissus basal rot, 17
onion mildew, 572
strawberry rot, 569
determination on seed, 299
flax sed treatment, 803
okra seed treatment, 103
peanut seed treatment, 18
ryegrass seed treatment, 408
soybean seed treatment, 197, 571
Spergonex, control of molds on stored apples, 1
okra seed treatment, 103
sulphur, 19, 410, 695, 914
control of pecan scab, 107
rust, 162, 544
sulfur dioxide, 1021
Sulsol, control of wheat stem rust, 162
Tenn. copper 53, control of pecan scab, 107
Tersan (tetramethyl thiuram disulfide), onion seed treatment, 219
Thiosan (tetramethyl thiuram disulfide), control of molds on stored apples, 1
Thiourea, 475
tribasic copper sulfate, 19, 314, 570
control of Lima bean stem anthracnose, 7
pecan scab, 107
strawberry fruit rot, 569
injury to grape, 458
okra seed treatment, 103
2,4,5-trichlorophenol, esters of, 1
trichlorophenols for cotton seed treatment, 979
Troy Flotation sulfur, control of apple scab, 314
Uspulun, 695
Yellow copper oxide, control of pecan scab, 107
Yellow cuprocide, injury to grape, 458
ryegrass seed treatment, 408
Zeolite (sodium silicate), control of pecan scab, 107
Zerlate (zinc dimethyldithiocarbamate), 13, 921
control of Lima bean stem anthracnose, 7
onion mildew, 572
tomato disease, 314
tree diseases, 575
zinc dithiocarbamates, yield response to, 576
zinc oxide, okra seed treatment, 103
zinc 8-quinolinolate, 741
zinc sulfate, 13
control of pecan scab, 108
Fusaria, nonsusceptible hosts for, 808
Fusarial wilt of tobacco, resistance to, 27
Fusarium, 22, 23, 28, 91, 140, 372, 538, 759, 888, 903, 918
and sugar beet root rot, 205
apii, 71
avenaceum var. fabae, causing wilt of broad bean, 331
bulbigena, 71
bulbigenum var. niveum, 13
control by soil fumigation, 38
eumartii, 761
graminearum, development of, 595
hyperoxysporum, 70

identification and classification of, 23
lateritium, 572
lycopersici, 670
moniliforme, 820
orthoceras, 92
var. gladioli, 576
var. **lathyri** n. var., causing lang wilt, 565
oxysporum, 761
causing end rot of sweet potato, 576
causing wilt of sumac, 572
hosts of, 812
f. batatas, 812
f. **fabae** n.f., 590
f. mathioli, 402
f. narcissi, control with fungicides, 17
f. vasinfectum, 943
var. gladioli, 576
var. nicotianae, toxins of, 292
roseum, 441, 820
solani f. **fabae** n.f., 587

GALLEGLY, M. E., 9
Ganoderma, 49
Garden stock, Fusarium wilt of, 399
Gardenia jasminoides, control of nematodes, 845
root knot of, 577
Garlic, 378
Genetics of microorganisms, bean rust, 914
Ceratostomella fimbriata, 20
Cladosporium fulvum, 2
Diaporthe phaseolorum var. batatatis, 636
var. sojae, 635
Glomerella, 28
Helminthosporium sativum, mutation in, 5
Hypomyces solani f. cucurbitae, 915
Phytophthora, oospore production, 2
Puccinia graminis, 24
Sclerotinia fructicola, 17
cepivorum, 381
Ustilago spp., hybridization of, 9
Genicide, 11
GENTER, C. F., (572)
Geranium, 851
sanguineum, 285
Germisan (See Fungicides)
Geum, 425
Gibberella zeae, 574, 903, 932
development of, 595
effect of 2,4-D on, 1038
sporulation of, 1
GIDDINGS, N. J., 934, 1001
GILL, D. L., 575
GILMAN, JOSEPH C., (628)
Gladiolus, aster yellows on, 581
Botrytis on, 752
Fusarium on, 576
smut, 922
virus of, 574
Gleosporium apocryptum, control with fungicides, 575
fructigenum, control with fungicides, 575
Gliocladium **aureum** n. sp., 440
Gloeocercospora sorghi, 22
Gloeosporium **bolleyi** n. sp. on grasses, 135
perennans, 914
Glomerella, 262
cingulata, 22, 568, 900
control of, 16
on sour cherry, 20
genetics of, 28
Glycine max, 285, 793
Gnomonia, 703
ovata, control with fungicides, 575
GODFREY, G. H., (1016)
Gomphrena globosa, 28
Good-rite P.E.P.S. (See Fungicides)
Goose-foot, 427
GORENZ, A. M., 9, 831
Gossypium (See also Cotton)
barbadense, 974
herbaceum, 563
hirsutum, 285
GOTTLIEB, DAVID, 10
GOULD, C. J., (85)
GRAHAM, J. H., (570), (571)
Gram, 563
GRANOVSKY, A. A., 10
Grape, 529
arsenite injury, 917
berry moth, 457
black rot of, 716
Botryosphaeria on, 261
copper injury, 457
Grapefruit, root rot of, 46
branch blight, 913
Graphocephala coccinea, 225
Grasses, bahia, ergot and sterility, 556
bent, 91
brome, Gloeosporium on, 132
crab, 529
fescue, 91
pigeon, Gloeosporium on, 133
red top, 25
ryegrass, 91, 186
blind seed disease, 404
sudan, 3
timothy, stripe smut of, 158
turf, control of disease with fungicides, 22
wheat grass, Gloeosporium on, 133
wildrye, Gloeosporium on, 133
GREANEY, F. J., (803)
GREEN, PHOEBE A., (15)
GROGAN, RAY G., 10
GROVES, A. B., 11
Growth regulators, 913
Growth substances and crown gall, 26
Guar, 919
diseases of, 918
Guavas, root rot of, 46
Guignardia bidwellii f. **euvitis** f. nov., 722
f. **parthenocissi** f. nov., 722
Gum flow of pine, 572
Gymnosporangium clavipes, 575

Hadrotrichum populi, 2
HAGEDORN, D. J., 11
HAHN, GLENN GARDNER, 453
Hairy vetch, 337
HANSEN, H. N., 23, (114)

HANSING, E. D., 12
HAMILTON, J. M., 313
HAMPTON, JACK E., 11
HARDISON, JOHN R., 404
HARE, WOODROW W., 12
HARRAR, J. G., 12
HARRIS, M. R., 114
HATFIELD, W. C., 12
Hawthorn, leaf blight, control with fungicides, 575
HEBERT, T. T., 569
Hedera helix, 285
Hedge mustard, 423
Hedychium coronarium, 231
Hedysarum coronarium, 424
HEIBERG, B. C., (22), 343
HEIN, EDITH M., (15)
Helianthus annuus (See Sunflower), 993
Helminthosporium, 22
carbonum, 572
gramineum, 1, 915
heveae, 1025
maydis, 933
sativum, 22, 574, 903
mutation in, 5
resistance of barley to, 1
victoriae, effect of 2,4-D on, 1038
resistance to, 568
sporulation of, 8
HENDERSON, R. G., 570
HENDRIX, J. W., 13, (312)
HENRY, B. W., 265, (574)
2-heptadecyl glyoxalidine (See Fungicides; 341)
HEPTI.. GEORGE H., 13, (572)
Herbicides, 2,4-D, 916
effect on citrus, 915
effect on fungi,
injury to cotton, 8, 638
HERVEY, G. E. R., 314
Hesperis matronalis, virus of, 21
Heterodera marioni, 480, 845, 918, 943
on gardenia, 577
schachtii, 616
HEUBERGER, J. W., 13, 576
Hevea brasiliensis, bird's eye spot, 1027
leaf blight, 157
Hexaethyltetraphosphate, 11
Hibiscus, 424
cannabinus, leaf spot of, 503
esculentus, 424, 504
sabdariffa, leaf spot of, 503
Hickory leaf spot, control with fungicides, 575
HODGSON, ROLAND, 13
HOLLIS, JOHN P., (25), 761, (961)
HOLMES, FRANCIS O., 13, 312, 314, 467
HOLT, BETTY, (213)
HOOKER, W. J., 14
HOPPE, P. E., 82
Hordeum (See also Barley)
brevisubulatum, 134
vulgare, 285
HORN, NORMAN L., 576, 827
Horsetail beefwood, 47
HORSFALL, JAMES G., 14, (22)
HOUGH, L. F., (23)
HOVEY, CHARLES, 507
HOWARD, F. L., (315)
HUBER, GLENN A., 85
Humidity, effect on spore viability, 574
1-hydroxyethyl-2-heptadecyl glyoxalidine (See Fungicides; 337)
Hydroxymercuriehlorophenol (See Fungicides; Semesan)
8-hydroxy quinoline (See Fungicides)
Hypomyces solani f. cucurbitae, 915

IKEDA, W., (312)
Illinoia pisi, vector for viruses, 11
Insecticides, benzene hexachloride, 19, 537
Black Leaf, 155, 458
DDT, 11, 19, 27, 526, 537, 570, 572
for control of carrot yellows, 314
diseases of ornamentals, 313
Rotenone, 313
Insects, aphids, 62, 106, 118, 225, 231, 311, 433, 506, 574, 841, 849
aphids, parasitized by a phycomycete, 118
grape berry moth, 457
in relation to purple-top of potatoes, 10
leafhoppers, 2, 314, 582, 935
thrips, 468
Insects as vectors, aphids, 62, 311, 506
bacterial necrosis of cactus, 3
clover viruses, 2
lily viruses, 841
mild streak of raspberry, 225
pea viruses, 11
sugar beet yellow-net, 433
tomato leaf curl, 365
leafhoppers, 582
carrot yellows, 314
clover club leaf, 2
thrips tabaci, 28
Internal necrosis of potato, 20
Iodanthus pinnatifidus, 424
Ipomoea, 575
purpurea, 437
Iris, mosaic of, 574
Iron dithiocarbamate (See Fungicides)
Iron 8-quinolinolate (See Fungicides)
Isobrome, 38
Isothan (See Fungicides)
Italian prune (See Prune)

JACKSON, L. W. R., 1029
JEFFERS, W. F., 228, (576)
JEHLE, R. A., 925
JENKINS, ANNA E., (2), 925
JENKINS, WILBERT A., 14, 15, 519, 528
JENSEN, D. D., (312)
Jimson weed, 437
JOHNSTON, C. O., (12)
JOHNSON, FOLKE, (30)
JOHNSON, JAMES, 15
Juglans hindsii, 152
regia, 152, 285

Kalanchoe, 575
crown gall studies, 3
KEITT, G. W., (16), (857), (899)
Kenaf, leaf spot of, 503
KENDRICK, J. B., 247

KEPHART, JOYCE E., 581
KERNKAMP, M. F., 956
KEVORKIAN, ARTHUR G., 1027
KHAN, INAM U., 757
KINCAID, RANDALL R., 570
Kohlrabi, 960
  bacteria of, 25
Kolodust (See Fungicides)
Kolofog (See Fungicides)
KREITLOW, K. W., 15, 158
Kudzu, angular leaf spot of, 348

Lactuca (See also Lettuce)
  sativa, 66, 424
    var. romana, 437
Ladino clover (See Clover)
Lang, Fusarium wilt of, 560
LARGE, JOHN R., 359, (658)
LANGFORD, ARTHUR N., 16
LARSON, R. H., (9), (28), (831)
Late blight, 575
  forecasting of, 6
  of potato, 26
    control by fungicides, 27
  of tomato, 314
Lathyrus hirsutus, 11
  odoratus, 563
  sativus, wilt of, 560
Laurel, leaf and twig blight, 912
Lauryl isoquinolinium bromide (See Fungicides; Isothan)
LEACH, J. G., (27)
Leaf rust (See Rust)
LEAR, B., (19), (38)
LEBEN, CURT, 16, 899
LEDING, A. R., 975
LEE, CHIN-HOW, (1032)
LEFEBVRE, C. L., (197), (556)
LEHMAN, S. G., 570, 571
Lemon, control of fruit decay, 1016
  dry bark, 913
  sieve tube necrosis, 918
LEONARD, O. A., (571)
Lepyronia quadrangularis, 225
Lespedeza striata, 731
Lethum australiense, 467
Lettuce (See Lactuca)
  big vein, 612
LEUKEL, R. W., (197)
LIGHTLE, PAUL C., 580
Ligustrum lucidum, 11
Lilium candidum, 841
  formosanum, 841
  leaf rot and spot, 752
  longiflorum, 841, 849
  tigrinum, 841
Lily (See Lilium)
LIMBER, DONALD P., 922
Lime, 56
Lime-sulfur (See Fungicides)
LINDER, J. C., (312)
LINN, M. B., 218
Linum (See also Flax)
  flavum, 1002
  grandiflorum var. rubrum, 1002
  lewisii, 1002
  perenne, 1002
  usitatissimum, 999
Little cherry disease, transmission of, 2
LOCKE, S. B., 937
LOEGERING, W. Q., (24)
Lolium perenne, blind seed disease, 404
LOWTHER, CONLEY V., 310
LUCAS, G. B., 16, 571
Lupine, 372
  blue, anthracnose of, 568
Lupinus albus, 372
  angustifolius, 731
  luteus, 731
LUTTRELL, E. S., 263, (348), 716
Lychnis alba, 424
Lycium chinense, 930
  halimifolium, 425, 930
Lycopersicon (See also Tomato)
  chilense, 29
  esculentum, 11, 16, 66, 247, 285, 425, 437, 467, 731, 796, 851, 852, 918, 940
  glandulosum, 940
  hirsutum, 2, 940
    var. glabratum, 2
  pervianum, 940
  pimpinellifolium, 2, 16, 918,
Lygus oblineatus, 10

MACHACEK, J. E., 16, 17, 803
MACK, G. L., 314
MACLEAN, NEIL ALLAN, 157, 753
Macrophoma, 912
  on grape, 261
Macrophomina phaseoli, 538
Macrosiphum ambrosiae, 225
  pisi, 225
  solanifollii, 118
    as virus vector, 507
Macrosporium, 91, 372, 820, 903
  and sugar beet root rot, 205
Macrosteles divisus, 10, 314
  as virus vector, 582
MADER, E. O., 17, 137
Magnesium 8-quinolinolate (See Fungicides)
Magnetic "70", (See Fungicides)
Maize, seed treatment of, 299
Malus spp., resistant to apple scab, 23
Manganese ethylene bisdithiocarbamate (See Fungicides)
Manganese 8-quinolinolate (See Fungicides)
Maple anthracnose, control with fungicides, 575
Marginal scorch of prune, 30
Marigold, 26, 437
Marmor laesiofaciens, 213
  tabaci, 852
  tritici var. fulvum, 1003
    var. typicum, 1003
  upsilon, 930
MARSDEN, DAVID H., 308
MASON, CURTIS L., 740
MARTIN, W. J., 158, (474)
Mathiola incana, 285
  Fusarium wilt of, 399
MATSUMOTO, T., 1032
MCCLELLAN, W. D., 17, 576
MCDONOUGH, E. S., 17
MCKINNEY, H. H., 1005

McNEW, G. L., (299), (665)
McWHORTER, F. P., (89), (893)
Mealybugs, effect on pineapple, 645
Medicago sativa (See Alfalfa)
Melampsora lini, factors affecting, 18
Melanconium fulgineum, 262
Melanocallis caryaefoliae, 106
Melilotus (See also Clover)
  alba, 11, 424, 731
  officinalis, 11, 424, 731
  virus on, 16
Mercuric chloride (See Fungicides)
Mercury phenyl cyanamide (See Fungicides; Barbak D)
Mercury compounds (See Fungicides)
MEREDITH, CLIFFORD H., 17
Mersolite 8 (See Fungicides)
Merthiolate, 1021
Mertensia virginica, mosaic of, 62
Metal reagents, as antisporulants, 22
Methyl bromide (See Fungicides and Insecticides; Dowfume G)
  for fungus control, 38
Mexican clover, host for Fusarium, 810
Microascus trigonosporus, 968
Microcitrus australasica, 912
Micrococcus lysodeikticus, 78
  pyogenes var. aureus, 903
Micronized sulfur (See Fungicides)
MIDDLETON, G. K., (569)
Mild streak of black raspberries, 222
Mildew, downy, control with fungicides, 13
    onion, 19
      control with fungicides, 572
  powdery, of barley, 25
    of currant, 455
    of pea, 21
    on wheat, 569
MILLER, H. J., (932)
MILLER, LAWRENCE I., 18
MILLER, P. W., 89, 893
MILLER, V. L., 30
MILLS, W. D., 314
Mimosa, fusarial wilt of, 13
  host for Fusarium, 810
Mint rust, 542
Mirabilis jalapa, 424
Miris dolabratus, 10
MISRA, A. P., 18
Mites, 157
Monilia laxa, 919
MOORE, M. B., 18
MORGAN, OMAR D., 18
MORGAN, T. L., (574)
Morning glory, 437
MOROFSKY, W. F., (19)
Moth, grape berry, 457
Mucors, 538
Mucor hiemalis, 448
  plumbeus, control of on stored apples, 1
  racemomus, control of on stored apples, 1
Muhlenbergia japonica, Gloeosporium on, 133
MUNCIE, J. H., 19
MUNNECKE, DONALD, 19
MURAKISHI, HARRY, (13)
Musa cavendishii, 231
  textilis, 231
Muskmelon, curly top, 934
  Mycosphaerella on, 5
  wilt of, 13
Mustard, 893
  hedge, 423
  yellow, 437
Mutation (See Genetics)
Mycobacterium phlei, 78
  tuberculosis var. hominis, 78
Mycoban (See Fungicides)
Mycosphaerella citrullina, 5, 903
  fragariae, 929
    races of, 988
  pueraricola, sp. nov. on kudzu, 350
Mycotox (See Fungicides)
Myxosporium, 575
Myzocallis punctatellus, 225
Myzus circumflexus, 843
  convolvuli, 118, 849
  persicae, 62, 118, 231, 574, 841
    virus vector, 312, 507

Narcissus basal rot, control by fungicides, 17
NEAL, D. C., 571
Necrosis, in tomato hybrids, 16
Necrotic ring spot of sour cherry, 776
NELSON, RAY, 19
Nematocides, allyl bromide, 23
  DD, 19, 23, 620
    control of tobacco nematodes, 570
  Dowfume W-10, 573
  effect on soil fungi, 38
  ethylene bromide, 19, 23
  ethylene chlorobromide, 577, 845
  ethylene dibromide, 621
    control of tobacco nematodes, 570
  Iscobrome D, 23
  methyl bromide, 38
  trimethylene bromide, 23
Nematodes, 154, 157
  and root rot, 14, 522
  citrus-root, 912
  control of, 19
  gardenia root-knot, 845
  golden nematode of potato, control of, 23
  in relation to big vein of lettuce, 612
  of boxwood, 577
  of gardenia, 577
  meadow nematode, and brown root rot of tobacco, 529
  root knot, 19, 480
Nepeta cataria, 424
Neurospora crassa, 903
New Improved Ceresan (See Fungicides)
NEWHALL, A. G., 19, 38, (218)
Nicandra physaloides, 425
NICHOLS, L. P., (13)
Nicotiana (See also Tobacco)
  glutinosa, 20, 28, 62, 367, 467, 852, 930
  longiflora, 5
  paniculata, 852
  repanda, 62
  rustica, 7, 20
  sylvestris, 66, 367
  tabacum, 20, 28, 62, 366, 437, 796, 852
NIENOW, INEZ, 62

Nigrospora oryzae, 933
sphaerica, 903
Nitrodithioacetate (See Fungicides)
Nitrogen trichloride, 1016, 1021
Nodulation, and seed treatment, 18, 956
Nutrition, in relation to bean blight, 315
beet root rot, 4
tomato bacterial wilt, 9
fusarial wilt, 670
wheat powdery mildew, 569
stem rust, 7
of cotton, 571
Nyssa sylvatica, 575

Oak, 47, 110
Oats, 4, 24, 593, 968
Actinomyces on roots, 14
resistant to disease, 12, 568
root rot, 15, 519
rust, crown, 12
stem, 12, 24
smut, 12
victoria blight, 12, 568
Oenothera biennis, 424
Okra, 504
host for Fusarium, 809
seed treatment of, 102
OLIVE, L. S., (707)
OLSON, E. O., 20, (474)
Onion, 91, 378
black mold, 12
downy mildew, controlled by fungicides, 19, 572
neck rot, 12
pink root disease, 9, 29, 831
Pythium seedling and root rot, 29
seed treatment, 218
smudge, 12
smut, 218
thrips, 28, 468
Onyx DL-1 (See Fungicides)
Ophiobolus graminis, effect of cereal rotation, 24
Orache, 437
Orange, root rot of, 46
sweet, root rot of, 47
Ormathodium **fici** sp. nov., causing leaf spot of fig, 711
ORTEGA, B., (22)
OSWALD, JOHN W., 20, (24)
Overwintering, of Colletotrichum phomoides, 253
Fusarium avenaceum var. fabae, 339
OWEN, J. H., (12)
Oximes (See Fungicides)
Oxygen requirements of Fusaria, 761
Ozone, 1021

Pak-choi, 437
PALMITER, D. H., 20, 315
Panagrolaimus, 537
subelongatus, 523, 616
Pansy scab, 925
Papaver rhoeas, 285
Papaya, ringspot of, 310
Papulospora, 888
Para amino phenyl cadmium dilactate (See Fungicides; Puratized 177)
Paraphelenchus pseudoparietinus, 523
Paratylenchus macrophallus, 616
PARKER, K. G., (20)
PARRIS, G. K., 480
Parsnip, 444
Parthenocissus quinquefolia, black rot of, 716
tricuspidata, 718
Parzate (See Fungicides)
Paspalum notatum, 556
Pea, 16, 40, 91, 187, 593, 796
Aphanomyces on, 12
field, 563
garden, 563
Pythium on, 917
resistant to powdery mildew, 21
seed treatment of, 299
sweet, 563
viruses of, 11
Peach, 26
anthracnose, 22
Phytophthora cactorum on, 580
viruses of, 513
X-disease, 20
Peanut, nodulation in relation to seed treatment, 18
Pear, 11, 22, 152
decay, control of, 914
leaf blight, control with fungicides, 575
Pecan scab, control with fungicides, 106, 552, 921
PEET, CLYDE E., 20
Pelargonium hortorum, 851
Pellicularia filamentosa, 22
causing leaf spot of Hibiscus, 503
Penicillin (See Antibiotics)
Penicillium, 22, 91, 156, 820
expansum, 914
control on stored apples, 1
PENTZER, W. T., (1021)
Pepper, 20, 257, 337
Phytophthora infestans on, 575
verticillium wilt, 915
Peronospora destructor, 920
manshurica, 198
Persea americana, root rot of, 123
gratissima, 912
india, 912
lingue, 912
PERSON, L. H., 474
Pestalozzia, 262
PETERSON, A. G., (10)
PETERSON, W. H., (13)
Petunia hybrida, 66, 425
virus on, 16
Phytophthora infestans on, 575
Phaseolus (See also Bean)
aconitifolius, 424
aureus, 424, 731, 796
coccineus, 731
lunatus, 731
virus on, 16
mungo, 731
Pythium on, 917

virus 2, 725
vulgaris, 11, 22, 66, 93, 213, 285, 424, 481, 725, 757, 796
viruses of, 16, 489
var. humilis, 373
Phenax sonneratii, infectious chlorosis of, 395
Phenyl compounds (See Fungicides)
Phenyl mercuric acetate (See Fungicides; Mersolite 8)
Phenyl mercuric triethanol ammonium lactate (See Fungicides; Puratized Compound)
Phialea temulenta, causing blind seed disease of ryegrass, 404
Phleum pratense, smut of, 158
Phoma betae, 92, 343
and sugar beet root rot, 205
lingam, 21, 903
terrestris, 903, 934
on onion, 9
Phomopsis verans, resistance to, 569
Phycomyces blakesleeanus, 903
Phycomycetes, on sugar beet, 888
Phygon (See Fungicides)
Phymatotrichum omnivorum, 571, 918
physiology of, 142
Physalis angulata, test plant for virus, 505
floridana, 930
pubescens, 425
Physalospora rhodina, causing tung canker, 359
tucumanensis, causing red rot of sugarcane, 24
Physiologic specialization, in Cladosporium fulvum, 2
Guignardia bidwellii, 716
Mycosphaerella fragariae, 990
Puccinia graminis, 24
Ustilago tritici, 18
Physiological exhaustion of strawberry, as a factor in winterkilling, 137
Physiology, fluorine, in relation to marginal scorch, 30
Physiology of microorganisms, antisporulants, 22
bacterial polysaccharides as toxins, 13
Colletotrichum phomoides, 250
effect of zinc on production of antibiotics by Fusaria, 75
Fusarium eumartii, 761
oxysporum, 761
var. nicotianae, 292
germ tube stimulation of obligate parasites, 920
Gibberella zeae, 1, 595
growth substances and crown gall, 26
Helminthosporium victoriae, 8
Phymatotrichum omnivorum, 142
Piricularia oryzae, 265, 574
Pseudomonas spp., 494
Sclerotina fructicola, 10, 17
Streptomyces griseus, 26
Ustilago zeae, 8
Xanthomonas, 494
Phytomonas (See also Agrobacterium)
tumefaciens, 995
and growth substances, 26
Phytophthora, 27
cactorum, 736, 754
on peach, 580
cinnamoni, causing root rot of avocados, 123
wilt and root rot of camellia, 575
drechsleri, 913
infestans, 26, 575, 913, 933
oospore germination, 913
oospore production, 2
palmivora, 913, 1032
parasitica, 46
on corn, 1029
var. nicotianae, 227
resistance to in tobacco, 15
parasitica-terrestris, resistance to, 569
Picea, spp., Valsa on, 307
PIERCE, W. H., 21
Pine, gum flow, 572
needle curl, 1028
tip blight, control with fungicides, 575
Pineapple, effect of mealybug on, 645
Pinus caribaea, 572, 1029
contorta, 1029
echinata, 1029
palustris, 572
Piricularia oryzae, sporulation of, 265
viability of conidia, 574
Pisum (See also Pea)
sativum, 12, 424, 563, 731, 796
viruses of, 11, 16
var. arvense, 11, 563
PLAKIDAS, A. G., 21, 928, 990
Plantago major, 424, 437
Plantain, 423, 437
Plasmodiophora brassicae, 28
Plum, 11, 22, 26, 152
anthracnose of, 2
viruses of, 513
PMAS (See Fungicides)
Polamia inimica, 10
Polychrosis viteana, 457
Polyethylene glycols, 13
Polyethylene polysulfide (See Fungicides; Good-rite P.E.P.S.)
Polygonum coccineum, 437
persicarae, 425, 437
schweinitzii, host range of, 370
Polysaccharides, as wilt inducing toxins, 13
Poncirus trifoliata, 912
Portulaca oleracea, 425
Potato, 19, 315, 444, 796, 843, 851, 961
blackleg of, 10
early blight, control by fungicides, 27
effect of amino-acridine derivatives on, 912
golden nematode of, 23
internal necrosis of, 20
late blight, 26
control by fungicides, 27
forecasting of, 6
late-breaking of, 917
leaf roll virus, 505, 917
net necrosis, 917
purple top of, 10
ring rot and antibiotics, 27
root-knot nematode, 480

soft rot, 673
stem end browning, 917
viruses, 28
virus X, 932
virus Y, 930
yield response to fungicides, 576
Potat-O-Dip (See Fungicides)
Potentilla monspeliensis, 425
POUND, GLENN S., 21
Powdery mildew, of barley, 25
of bean, control with fungicides, 6
of cucumber, 1027
of currant, 455
of guar, 918
of pea, 21
of wheat, 569
POWELL, DWIGHT, (18)
Pratylenchus spp., 523
and root rot, 14
on boxwood, 577
pratensis, 532
PRESLEY, JOHN T., 571
PRESTON, DUDLEY, 572
PRICE, W. C., (15), 213
Proteus vulgaris, 76, 903
Prune, 152
Italian, marginal scorch of, 30
viruses of, 513
Prunus amygdalus, 862
cerasus, 11, 20, 513, 857
domestica, 11, 513, 862
mahaleb, 513
pennsylvanica, 862
persica, 20, 285, 513
salicina, 11
virginiana, 20
Pseudomonas spp., classification of, 494
fluorescens, 78
Pseudopeziza medicaginis, resistance of alfalfa to, 570
Pseudomonas aeruginosa, 903
medicaginis var. phaseolicola, 757
savastanoi, 903
solanacearum, 903
Psidium guajava, 46
Psoralea bituminosa, 424
Puccinia antirrhini, 7, 542
graminis, 161
avenae, 24
tritici, 7, 12, 24
helianthi, 542
menthae, 542
rubigovera tritici, 3
Pueraria thunbergiana, angular leaf spot of, 348
Puratized compounds (See Fungicides)
Puraturf (See Fungicides)
Purex, 408
Pyrenochaeta **terrestris** nov. comb., 838
Pyrus spp., 153
communis, 11
Pythium, 303, 538, 916, 917
and sugar beet root rot, 205
arrhenomanes, 6
causing seedling and root rot of onion, 29
control by soil fumigation, 38
debaryanum, 888
effect of 2,4-D on, 1038
on barley, 24
graminicolum, 24, 903
ultimum, 157

Quercus cinerea, 56
laevis, 56
Quince rust, 575
Quinolines (See Fungicides)
Quinolinols (See Fungicides)

RADER, W. E., 440
Radish, 91, 187, 337
Ragweed, 575
RAMSEY, G. B., 22, (23), (343)
RANKIN, W. H., (569)
Raspberry, 919
black, mild streak of, 222
virus of, 827
RAWLINS, T. E., 155, (279)
Red rot of sugarcane, 24
Red top, 25
REEVES, E. L., (2)
Resistance, nature of in onion, 12
alfalfa to leaf spots, 570
apple to scab, 23
barley to spot blotch, 1
bean to bacterial blights, 757
cabbage to clubroot, 28
citrus to Clitocybe root rot, 56
corn to Diplodia, 27
cowpea to bacterial canker, 572
cucumber to powdery mildew, 1027
currant to rust, 453
dahlia to spotted wilt, 13
eggplant to Phomopsis blight, 569
grape to Botryosphaeria, 262
mimosa to fusarial wilt, 13
oats to disease, 12
to victoria blight, 568
onion to pink root, 9
pea to mildew, 21
rice to Cercospora, 23
strawberry to wilt, 1034
tobacco to black shank, 15
to disease, 27
to wildfire, 5
to wilt, 227
tomato to buckeye rot, 569
to Cladosporium, 16
to spotted wilt, 13, 467, 918
to Armillaria root rot, 153
wheat to flag smut, 694
to rust, 12, 572
Rhabditis monohystera, 616
Rhizobium leguminosarum, 18, 955
Rhizoctonia, 22, 303, 503, 759, 918
carotae n. sp., 440
crown rot of alfalfa and sweet clover, 5
on cotton, 661
on potato, 10
root rot of frijol, 23
root rot of sugar beet, 205
root rot of tulip, 156
solani, 756, 888

Rhizopus nigricans, control of on stored apples, 1
RHOADS, ARTHUR S., 44
Rhus typhina, wilt of, 572
Rnynchosporium secalis, 22
Ribes americanum, 454
glandulosum, 455
nigrum, resistance to rust, 453
Rice, 337, 369
resistant to Cercospora, 23
RICH, SAUL, (14), 22
Ricinus communis, 11, 796
RIKER, A. J., (13), (26)
Ring rot, of potato, and antibiotics, 27
ROANE, C. W., 572
ROBERTS, CATHERINE, (154)
Robinia pseudo-acacia, 424
ROBLES, LEONEL H., 22
Roccal (See Fungicides)
RODRIGUEZ VALLEJO, JOSE, 22
Rose blackspot, 313
control with fungicides, 6
Roselle, leaf spot of, 503
ROSS, FRANK A., 930
ROWELL, J. B., 22, 315
Rubus allegheniensis, virus of, 576, 827
ursinus, 919
RUPERT, J., (3), 22
Rumex britannica, 425
crispus, 425, 437
occidentalis, 66
Rust, apple, control with fungicides, 11
bean, 542
mutation in, 914
blister, resistance to, 453
carnation, control with fungicides, 6
flax, 18
mint, 542
oats, 12
stem, barberries in relation to, 24
snapdragon, 542
control with fungicides, 7
sunflower, 542
therapeutic treatments, 542
wheat leaf, 3, 572
stem, 7, 12, 161, 572
barberries in relation to, 24
quince, 575
Rutabaga, 444
RYALL, A. LLOYD, 1016, (1021)
Rye, 24
anthracnose of, 3
Ryegrass (See Grasses)
RYKER, T. C., 23

Saccharum officinarum, 285
Sage, host for Fusarium, 809
Saintpaulia ionantha, 851
Salmonella pullorum, 76
SAM RAJ, J., (364)
Sarcina lutea, 78
SASS, J. E., (14)
Sassafras anthracnose, control with fungicides, 575
Scab, camellia, 21
pecan, control with Bordeaux, 552
Scald, of barley, 22
Scaphtopius acutus, 225
Schizanthus wisetonensis, 425
SCHMITT, C. G., 23
SCHNEIDER, C. L., (5), (17)
SCHROEDER, W. T., (314)
Scilla sibirica, Sclerotium on, 82
Sclerotinia, 903
fructicola, 22, 861, 914, 934
adaptation to copper, 17
homeocarpa, 22
laxa, 919
on sour cherry, 857
minor, 93
sclerotiorum, 93, 443
effect of soil fumigation on, 43
Sclerotium cepivorum, 378
delphinii, on Scilla, 82
rolfsii, 918
causing root rot of frijol, 22
sclerotiorum, 919
Seed transmission, lupine anthracnose, 568
soybean viruses, 732
stem anthracnose of Lima bean, 7
Seed treatment, cereal, 525
corn, 667
in relation to seed injury, 82
cotton, 1, 979
determination of fungicide on seed, 299
flax, 16, 803
weeds and yield, 17
injury in relation to, 803
in relation to nodulation, 18, 956
okra, 102
onion, 218
pea, 667
peanut, in relation to nodulation, 18
ryegrass, 408
soybean, 197, 571, 956
tomato, 916
vapor-heat for, 89
SEMENIUK, G., 29
Semesan (See Fungicides)
Septoria, 29
obesa, 313
lycopersici, 937
Serratia marcescens, 78, 903
Sesame, stem canker of, 753
indicum, 753
Sesbania, 919
Shallot, aster yellows on, 581
white rot, 378
SHAY, J. R., 23
Shepherds purse, 437
SHERBAKOFF, C. D., 572
SHERWIN, HELEN S., 197
Shigella paradysenteriae, 76
Sicyos angulatus, 424
Sida rhombifolia, 397
Sieve-tube necrosis of lemon, 918
SILBERSCHMIDT, KARL M., 395
Silene noctiflora, 424
Silver nitrate, 1
Sinox, 410
Sinox-D, 410
Sisymbrium officinale, 423
SLIFE, F. W., 1038
SMITH, A. L., 573, 943

SMITH, F. E., (574)
SMITH, F. F., (230), 583, 841, 849
SMITH, M. A., (22), 23
SMITH, NATHAN R., (575)
SMITH, PAUL G., 1028
SMITH, T. E., 227
SMITH, T. J., (570)
SMOOT, J. J., 576
Smut, barley false loose, 5
loose, 25
corn, physiology of, 8
gladiolus, 922
grass, 9
oats, 12
onion, 218
timothy stripe, 158
wheat, 4
bunt, 309
flag, 688
loose, 18
Snapdragon, host for Fusarium, 810
rust, 542
control with fungicides, 7
SNOW, A. G., (572)
Snowberry, anthracnose of, 2
SNYDER, W. C., 23, (572)
Sodium arsenate, 410 (See also Fungicides)
Sodium bisulfite, 1021
chlororthophenylphenate, 914
dinitro-ortho-cresol (See Fungicides; Elgetol)
metaborate, 1021
o-phenyl phenate (See Fungicides, Dowicide A)
pentachlorophenate, 919
polyphosphate (See Fungicides)
propionate (See Fungicides; Mycoban)
silicate (See Fungicides; Zeolite)
sulfide (See Fungicides)
tetraborate, 1021
Soft rot of potato, 673
Soil fumigants, benzene hexachloride, 537, 623
formaldehyde, 40
chloropierin, 39, 623
DDT, 537
ethylene dibromide, 943
Soil fumigation, 845
control of root knot and coarse root of tobacco, 570
for fungus control, 38
in relation to cotton wilt and nematode control, 573
lettuce big vein, 612
Soil moisture, in relation to, apple collar injury, 736
growth of Fusaria, 768
potato nematode, 480
root rot, 526
soft rot of potato, 679
soreshin of cotton, 661
wheat flag smut, 691
Soil temperature (See Temperature)
Soja max (See also Soybean)
viruses, 16, 725
Solanum aculeatissimum, 425
carolinense, 575
duleamara, 425
late blight of, 575
integrifolium, 425
melongena, 425
var. esculentum, 257
nigrum, 425
triflorum, 425
tuberosum (See also Potato)
host for streak virus, 425
host for tomato virus, 366
Sonchus arvensis, 437
oleraceus, 424
Soreshin of cotton, 661
Sorghum, Colletotrichum on, 4
Sour cherry (See Cherry)
Sour gum, 575
South American leaf blight, 157
Southern bean mosaic, 213
Sow thistle, 437
Soya max (See also Soybean)
host for streak virus, 424
Soybean, 186, 337, 956
brown stem rot of, 4, 793
Diaporthe on, 628
dusting of, 570
host for Fusarium, 809
seed treatment, 197, 571
in relation to nodulation, 956
yellow mosaic, 725
viruses, 724
Spergon (See Fungicides)
Spergonex (See Fungicides)
Spergula arvensis, 424
Sphaceloma, 2, 928
causing camellia scab, 21
violae, 925
Sphaeropsis ellisii, control with fungicides, 575
Sphaerotheca mors-uvae, 455
Spinach, 39, 187, 437
seed treatment of, 299
Spinacia oleracea, 66, 424, 437
Spiral design, for fungicide assay in field, 14
Spot blotch of barley, 1
Spotted wilt resistance in tomato, 918
SPRAGUE, RODERICK, 131
Spruce, Valsa on, 307
Spur blight of sour cherry, 857
Squash, 5
STAKMAN, E. C., 24
STAMPER, E. R., (568)
Staphlococcus aureus, 72
STARR, MORTIMER P., 494
STATEN, GLEN, 661
STEERE, RUSSEL L., 949
STEIB, R. J., 24
Stellaria media, 467
Stemphyllium, 91
botryosum, resistance of alfalfa, 570
consortiale, control of on stored apples, 1
sarcinaeforme, 6, 903, 741
Stenotus binotatus, 10
STODDARD, E. M., (313), 315, 671

Storage of cultures under mineral oil, 932
STOREY, W. B., (312)
Strawberry, 575, 988
  dud, 4
  fruit rot, control with fungicides, 569
  leafspot, 929
  resistant to wilt, 1034
  scorch, 929
  stem end rot, 698
  winter killing, 137
Streptomyces, 16, 899
  griseus, 26
Streptomycin (See Antibiotics)
Sugar beet, 4
  Aphanomyces on, 9
  black root rot, 883
  yellow-net virus, 429
  root rot fungi, 205
Sugarcane, red rot, 24
  root rot, 6
SUIT, R. F., 457
Sulfur compounds (See Fungicides)
Sulsol (See Fungicides)
Sumac, wilt of, 572
SUMMERS, THOMAS E., 24
SUNESON, COIT A., 24
Sunflower, 26, 796
  crown gall, 995
  rust, 542
Swamp knotweed, 437
Sweet potato, 20, 337,
  bacteria of, 25
  black rot control with fungicides, 474
  end rot of, 576
  scurf control, 568
Swiss chard, 437
SYLVESTER, EDWARD S., 429
SZKOLNIK, MICHAEL, 87

Tagetes patula, 66
TAKAHASHI, WILLIAM N., 279
Tamarix, 917
Tangerine, 56
TAPKE, V. F., 25
Taraxacum officinale, 424
TARJAN, A. C., 577, 845
TAYLOR, CARLTON F., (20)
Technique, air blast application of fungicides, 315
  apparatus, for aseptic production and removal of conidia, 266
  aseptic culture of citrus, 756
  colorimetric determination for 2,3-dichloro-1,4-naphthoquinone, 665
    of tetrachloro-*p*-benzoquinone, 299
  estimation of smut spore load on seed, 4
  field assay of fungicides, 14
  for inoculating cactus, 578
  for vector studies, 28
  inoculation of barley with stripe, 915
    corn with Diplodia, 27
    pea with Aphanomyces, 12
  isolation of slow-growing fungi, 928
    Thielavia from tobacco, 571
  measuring resistance to defoliation in tomato, 937
  mineral oil for storage of fungus cultures, 932
  oblique illumination for bacterial studies, 154
  for preserving culture media, 578
  late blight forecasting, 6
  storage of virus, 1031
  test in bean to bacterial blights, 575
  vapor heat for seed treatment, 89
  virus activity measurements, 213
    purification, 6, 949
  water-vapor nutrient culture, 645
Temperature, in relation to brown stem rot of soybean, 4, 799
  chromogenesis in Physalospora, 361
  Colletotrichum on tomato, 238
  dwarf bunt germination, 309
  flax rust, 18
  growth of Cephalosporium, 797
    Colletotrichum phomoides, 249
    Fusarium, 331, 561
    Gibberella zeae, 596
    Sclerotinia, 864
  morphology of Verticillium, 919
  Mycosphaerella on watermelon and muskmelon, 5
  seed treatment, 197
  soybean viruses, 727
  spore viability, 574
  sporulation of Piricularia, 275
  stem rot of sweet potato, 576
  victoria blight of oats, 12
  wheat head blight, 602
    stem rust, 7
Temperature of soil, in relation to bacterial soft rot of potato, 674
  lang wilt, 561
  root rot, 526
  tobacco brown root rot, 534
  wheat flag smut, 690
  wilt of broad bean, 331
Tenn. Copper 53 (See Fungicides)
Tersan (See Fungicides)
TERVET, IAN W., 25, 961
Tetrachloro parabenzoquinone (See Fungicides; Spergon)
Tetrachlorphenol, amine of, 19
Tetramethyl thiuram disulfide (See Fungicides; Arasan)
Tetramethyl thiuram disulfide (See Fungicides; Tersan or Thiosan)
TEXERA, DIEGO A., 70
Thielavia basicola, 16, 537
  isolation from tobacco roots, 571
Thielaviopsis basicola, 16, 532, 538
Thiosan (See Fungicides)
Thiourea, 475
THIRUMALACHAR, M. J., 25, (969)
THOMAS, HAROLD E., 154
THOMAS, H. EARL, (154)
THOMAS, H. REX, (29)
THOMAS, JOHN E., 26
THOMAS, W. D., 26
THORNBERRY, H. H., 26, 907
Thrips tabaci, 28, 468
THURSTON, H. W., 27
Tilletia caries, 309
Timothy, stripe smut of, 158
TIMS, E. C., 378, 572, 707

TOMPKINS, C. M., 114
Tobacco, 16, 437, 575, 724, 796
bacterial wilt, 227
black shank, 15, 227
control of nematodes on, 570
host for Fusarium, 810
mosaic (See also Viruses)
electron microscope studies, 279
increased infectivity, 15
resistance to disease, 15, 27
root rot, 14, 519, 528
streak virus, 7, 421
Thielavia basicola, isolation of, 571
wildfire, resistance to, 5
wilt caused by toxins of Fusarium, 292
Tomato, 16, 26, 40, 71, 315, 437, 575, 796, 851, 937
anthracnose, 247
bacteria of, 25
buckeye spot, 569
bushy stunt, 949
Colletotrichum on, 235
defoliation of, 937
disease control with fungicides, 314
early blight, control with fungicides, 6
host for Fusarium, 809
late blight, 575
forecasting of, 6
leaf curl of, 364
hereditary defects of, 29
necrosis of, 16
nutrition in relation to bacterial wilt, 9, 670
seed treatment, 916
spotted wilt virus, 13, 28, 467, 918
wilting induced by polysaccharides, 13
yield response to fungicides, 576
TOOLE, E. RICHARD, (13), 572
Toxins, of Fusarium oxysporum var. nicotianae, 292
Transmission, of blackberry virus, 576
Colletotrichum phomoides, 254
clover club-leaf virus, 2
clover virus, 16
lettuce big vein, 615, 617
lily viruses, 841
Lima bean stem anthracnose, 7
little cherry virus, 2
lupine anthracnose, 568
pea viruses, 11
raspberry mild streak, 225
sour cherry viruses, 513
soybean viruses, 732
tomato leaf curl, 365
Tribasic copper sulfate (See Fungicides)
2,4,5-trichlorophenol (See Fungicides; Dowicide B)
Trichoderma, 78, 372, 820
lignorum, 578
viride, 913
Trichophyton mentagrophytes, 78
Trifolium (See also Clover)
glomeratum, 424
incarnatum, 2, 11, 424, 731
pratense, 11, 424, 796
repens, 423, 424
var. giganteum, virus of, 15
Trigonella, 424
foenum-graecum, 11
Triticum aestivum, 285
timopheevi, 18
vulgare, 688
Tropaeolum majus, 425
Troy flotation sulfur (See Fungicides)
TRUE, R. P., 572
TUCKER, C. M., 1031
Tulip, Rhizoctonia root rot, 156
Tung, canker, 359
leaf variegation, 658
Turf grass (See Grasses)
TURNER, NEELY, (14)
Turnip, 571, 851, 893, 960
bacteria of, 25
Tylenchus filiformis, 616
semipenetrans, resistance to, 912

ULSTRUP, ARNOLD J., 27, 1031
Ulmus americana, 371
glabra, 371
Umbellularia Californica, 912
UPPAL, B. N., (560)
Urocystis agropyri, artificial culture of, 25
gladioli, 922
on timothy, 158
tritici, 688
Uromyces appendiculatus, 914
phaseoli, 542, 920
Uspulun (See Fungicides)
Ustilago bullata, hybridization of, 9
hordei, hybridization of, 9
nigra, 5
nuda, 25
striiformis, hybridization, 9
tritici, physiologic specialization of, 18
zeae, 19
physiology of, 8

Valsa Kunzei, on spruce, 307
VAN GELUWE, J. D., (314)
VAN SCHAACK, VALERIA, 27
Vapor heat, for seed disinfecting, 89
Variegation in tung leaf, 658
VASUDEVA, R. S., 364
VAUGHN, JOHN R., 27
Velvet leaf, 26
Venidium fastuosum, 424
Venturia inaequalis, 16, 899, 934
control with fungicides, 313
resistance to in apple, 23
Verbascum thapsus, 425
Verticillium albo-atrum, 915
effect of temperature on, 919
Dahliae, 919
wilt of strawberry, 1034
Vicia faba, 11, 231, 575, 593, 731
Vigna, Pythium on, 917
sesquipedalis, 731
sinensis, 66, 731
Vinca rosea, 424
virus on, 16
Violet, scab, 925
African, 851
Virginia creeper, black rot of, 716

Viruses, aster yellows, 581
bacteriophage of Xanthomonas pruni, 26, 907
bean black root, 29
mosaic, 10
pod mottle, 29
shiny pod, 29
virus 1, 10, 489
virus 2, 10, 489
virus 4, 10
yellow mosaic, 10, 574
beet curly top, 916
blackberry, 576, 827
dwarf, 919
canna mosaic, 230
cherry X-disease, 920
clover club-leaf, 2
cucumber mosaic, 21, 65, 843, 851
virus 1, 10, 21
cucumis virus, 65
dahlia ringspot, 467
Eryngium, yellow mosaic, 15
flax curly top, 1001
guar, lethal virus, 918
muskmelon curly top, 934
ladino clover virus, 15
lettuce big vein, 612
lily mottle, 841, 851
necrotic fleck, 841
rosette, 841, 849
yellow flat, 849
little cherry, transmission of, 2
Mertensia virginica mosaic, 62
papaya ring spot, 310
pea, 11
peach X-disease on sour cherry, 20
Phaseolus virus 2, 725
Phenax sonneratii infectious chlorosis, 395
potato, 28, 917
internal necrosis, 20
late break, 917
leaf roll, 505, 916
virus X, 930
virus Y, 930
purification, 6, 949
raspberry, 827
mild streak, 222
Soja virus 1, 725
sour cherry necrotic ring spot, 509, 776
yellows, 509, 776
southern bean mosaic virus, 10, 213
soybean, 724
spotted wilt, resistance to, 13
storage of,
sugar beet, yellow net, 429
tobacco mosaic, 65, 852
effect of chemicals on, 15
electron microscope studies, 279
purification of, 6
resistance to, 27
streak, 7
hosts of, 421
tomato bushy stunt, 949
leaf curl, 364
spotted wilt, 28
resistance to, 467
wheat mosaic, 1005

Vitis (See also Grape)
bourquina, 718
labrusca, 718
rotundifolia, 718
vinifera, 718, 917
Verticillium, 29
VOTH, VICTOR, 1036

WADLEY, B. N., (29)
WALKER, J. C., (21), 28, (247), (831)
WALLACE, H. A. H., (17)
Walnut, 152
WARREN, JOHN R., 883
Watermelon, Mycosphaerella on, 5
wilt of, 13
WEIMER, J. L., 348
WELCH, A. W., 628
WELLS, DARRELL G., (12)
WERNHAM, C. C., 283, 932
Wheat, 5, 17, 593, 1005
bunt, 309
flag smut, 688
Gloeosporium on, 133
head blight, 574, 595
leaf rust, resistance to, 572
powdery mildew, 569
resistant to mosaic, 1005
root rot, 15, 519
smut, 4
flag, 688
loose, 18
stem rust, 12, 24, 161
resistance to, 572
take-all of, 24
Wheatgrass (See Grasses)
WHEELER, H. E., 28
WHITEHEAD, M. D., 969
White fly, as vector of tomato leaf curl, 366
WIANT, J. S., (1021)
Wildfire of tobacco, resistance to, 5, 27
WILKINSON, R. E., 28
WILLIAMS, H. E., (2)
WILLIAMS, ROBLEY C., (949)
WILLISON, R. S., (509), 776
WILSON, J. D., (27)
Winter killing, of strawberry, 137
WOLF, FREDERICK A., (292)
WOLF, FREDERICK T., 292
WOODS, M. W., (222), 852
WRIGHT, C. M., (2), 28

Xanthomonas, 27
begoniae, 17
beticola, 903
campestris, 21, 903, 908
campestre, 94
carotae, 94
classification of, 494
lactucae-scariolae, 908
malvacearum, 947
pathogenicity and classification, 283
phaseoli, 94, 313, 315, 757
pruni, bacteriophage of, 26, 907
vignicola, 571

YARWOOD, C. E., 542
Yellow copper oxide (See Fungicides)

Yellow Cuprocide (See Fungicides)
Yellow mustard, 437
Yellow net of sugar beet, 429
Yellows of sour cherry, 776
YOUNG, P. A., 29
YU, T. F., 331, 587

ZAUMEYER, W. J., 29
Zea mays (See Corn)
Zeolite (See Fungicides)
Zerlate (See Fungicides)
Zinc compounds (See Fungicides)
Zinc dimethyldithiocarbamate (See Fungicides; Zerlate)
Zinc ethylene bisdithiocarbamate (See Fungicides; Parzate)
Zinc 8-quinolinolate (See Fungicides; Bioquin 100)
Zinnia, 65
  elegans, 21, 66, 424
    virus on, 16
Zythia fragariae, 704

ERRATA, VOLUME 37

Page 863, line 5, *read* relationships *for* relationship

Page 896, line 34, *read* was reported (8) *for* was reported (9)

Page 897, line 42, *read* November 28 *for* December 28

ERRATA, VOLUME 38

Page 87, line 16, *read* the Actinomyces when streaked 3 days after the Actinomyces (Fig. 1, L–459) *for* the Actinomyces (Fig. 1, L–459)

Page 113, line 15, *read* attack shrubby plants *for* shrubby plants

Page 202, table 3, column 11, *read* 75.25** and 72.75** *for* 75.25 and 72.75

Page 441, figure 1, *read* (D) culture of *Rhizoctonia solani,* and (E) culture of *R. carotae, for* (D) culture of *Rhizoctonia carotae,* and (E) culture of *R. solani*

Page 773, line 42, *read* 17 additional *for* 19 additional

Page 791, line 11, *read* causal viruses *for* casual viruses

Page 828, figure 1, *read* A. Symptoms in black raspberry. B. Symptoms in blackberry *for* A. Symptoms in blackberry. B. Symptoms in black raspberry.

LIST OF MEMBERS, page 38, *read* WHITEHEAD, MARVIN D. *for* WINTERHEAD, MARVIN D.